			WATER	WELL RECORD	Form WWC-5	KSA 82a-1212		
			Fraction		Section Number	Township Number	Range Number	
				NW 1/4 SE 1/4	19	T 15 S	R 3 E(W)	
istance and direct mile SW of S			or city stree	t address of well if loca	ted within city?			
2 WATER WELL	L OWNER:	Morriso	on Venture	es				
RR#, St. Address,	Box#:	1700 E	ast Iron	DN Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Salina, KS 6				S 67401 Application Number:				
3 LOCATE WEL	L'S LOCATIO	HTIW N	4 DEPTH	OF COMPLETED WE	LL56 ft.	ELEVATION		
N "X" IN SECTIO	N BOX		Depth(s) Gr	epth(s) Groundwater Encountered 1				
N l			WELL'S ST	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr				
	T !	7		Pump test data: Wel	l water was	ft. after hours pu	ımping gpm	
NW-		4	Est. Yield:	gpm: Well	water wasfl	t. after hours pur	mping gpm	
''!'	``F		Bore Hole [	iameter3.5in.	to56	ft., and in. to	ft.	
w   <del></del>	<del> x  </del>	-{E	WELL WATER TO BE USED AS: 5 Public Water supply 8 Air conditioning 11 Injection well					
	i	[	1 Domes	tic 3 Feedlot 6	Oil field water supp	oly 9 Dewatering 12 0	Other (specify below)	
sw	- <del> -</del> -se	┥	2 Irrigatio	n 4 Industrial 7 I	.awn and garden o	nly Monitoring well		
			Was a chemical/bacteriological sample submitted to Department? Yes NoX If yes, mo/day/yr					
	S		sample was	submitted		Water well disinfected? Ye	s NoX	
5 TYPE OF BLA	NK CASING	USED:	5 Wrought	ron	8 Concrete tile	CASING JOI	NTS: GluedClamped	
_	3 RMP (SR)		6 Asbestos		9 Other (specify I	pelow)	Welded	
0	4 ABS		7 Fiberglas:				Threaded	
_				in. to				
				-	_	I thickness or gauge NoSo	CH 40	
	YPE OF SCREEN OR PERFORATION MATERIAL:					7 PVC 10 Asbestos-cement		
				5 Fiberglass	8 RMP (SR)			
	4 Galvanized			Concrete tile	9 ABS	12 None used (open hole)		
SCREEN OR PER		_		5 Gauze wrapped	8 Saw cut 11 None (open hole)			
1 Continuous sl	,	3)Mill sk		6 Wire wrapped	9 Drilled holes			
2 Louvered shu		4 Key p	unched	7 Torch cut	10 Other (specify			
SCREEN PERFO	RATED INTER	RVALS:				t., Fromft. to		
		_				., Fromft. to		
GRAVEL PAC	K INTERVAL	S:				t., Fromft. to		
al application						., Fromft. to		
6 GROUT MA		1 Neat o			3Bentonite	4 Other		
						1 ft. to f		
What is the nearest source of possible contamination					10 Livestock pens 14 Abandoned water well 11 Fuel storage 15 Oil well/Gas well		1	
1 Septic tank 4 Lateral lines				7 Pit privy	11 Fuel storage			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lagoon	12 Fertilizer stora	-	ecity below)	
_		o Seepa	ige pit	9 Feedyard	13 Insecticide sto	orage		
Direction from well?				0010 1 00	How many feet?	TO DILLO	OING INTERVALS	
FROM	то	Cit	LITHOL	OGIC LOG	FROM	TO PLUG	GING INTERVALS	
. 0		Silt						
17.5		Clay			1			
17.5		Slit Clay	<u> </u>	·	-			
27		<del></del>						
32		Sand, s				<del>                                     </del>		
34		Clay						
47		Gravel						
47.5		Clay			<del></del>			
-77.5	30	,,			+			
		1				<del>                                     </del>		
		<del> </del>		^	+			
					+	MW-5d	<del></del>	
7 CONTRACTO	OR'S OR I ANI	OWNER	R'S CERTIFI	CATION: This water w	All was (1) most au	cted, (2) reconstructed, or (3	) plugged under my	
					_	rue to the best of my knowle	1	
						npleted on (mo/day/)/f)7		
under the busines						by (signature)	Kal	
					PRINT clearly. Please	e fill in blanks, underline or circle	the correct answers.	
						sas 66620-0001. Telephone: 91	· · · · · · · · · · · · · · · · · · ·	
Send one to WA	•							