Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number County: Saline SE 1/4 15 3 Distance and direction from nearest town or city street address of well if located within city? 4292 S. Burma Road, Salina 2 WATER WELL OWNER: City of Salina RR#, St. Address, Box# 300 West Ash Board of Agriculture, Division of Water Resources Salina, Kansas 67401 City, State, ZIP Code Application Number: 3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL 48 ft ELEVATION: WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1......ft. 2......ft. 3..........ft. WELL'S STATIC WATER LEVEL . . . . . . . . ft. below land surface measured on mo/day/yr . . . . . . . . . . Pump test data: Well water was ... NA... ft. after ..... hours pumping ..... gpm NW ---····NF ·· Est. Yield ... NA. .. gpm: Well water was ....... ft. after ...... hours pumping ....... gpm w WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) SW -SE -7 Lawn and garden only (10) Monitoring well 2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes.......No 🗸 .; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes 5 Wrought iron TYPE OF BLANK CASING USED: 8 Concrete tile CASING JOINTS: Glued . . . . . Clamped . . . . . 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded. 

..... 4 ABS 7 Fiberglass Blank casing diameter ..... 2 ...... in. to ...... 38 ..... ft., Dia ........ in. to ........ ft., Dia ....... ft. ..... lbs./ft. Wall thickness or gauge No. .....Sch. 40..... Casing height above land surface . . . . . . . . . . in., weight . . . . . . . . . . . 7 PVC TYPE OF SCREEN OR PERFORATION MATERIAL 10 Asbestos-cement RMP (SR) 1 Steel 3 Stainless steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Will slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit priw 15 Oil well/Gas well 11 Fuel storage 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? Direction from well? LITHOLOGIC LOG PLUGGING INTERVALS FROM FROM 3 Topsoil, 0 3 15 Clay, Red-Brown 15 40 Clay, Tan 40 48 Sand, fine grained, Tan MW35 (deep), Abovegrade × by (signature) GeoCore, Inc. INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 68620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.