			WELL RECORD	Form WWC-5	KSA 82a-1212			
1 LOCATION OF		: Fraction		Section Number	Township	Number	Range Number	
		NW 1/4	NW 1/4 SW 1/4	19	T 15	S	R 3 W	
Distance and direct 1 mile SW of S		t town or city stre	et address of well if loca	ited within city?				
2 WATER WELL	OWNER: Mo	orrison Ventur	es					
RR#, St. Address,	Box #: 17	700 East Iron	Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : Salina, KS 674			67401 Application Number:					
3 LOCATE WEL	L'S LOCATION \	WITH 4 DEPTH	OF COMPLETED WE	LL 62 ft.	ELEVATION			
N "X" IN SECTIO	N BOX	Depth(s) G	roundwater Encountere	d 120 ft. 2	2	ft. 3	ft.	
	N		TATIC WATER LEVEL.					
	!		Pump test data: Well			,	•	
NW		Est. Yield:	gpm: Well					
INAA	'\\-	I	Diameter3.25in					
W 1	 		TER TO BE USED AS:		•			
^		1		Oil field water suppl		-	Other (specify below)	
sw		2 Irrigati						
1 1		1	mical/bacteriological sai					
	}	4	s submitted	•	•		s NoX	
5 TYPE OF BLA				8 Concrete tile			NTS: GluedClamped	
	3 RMP (SR)	6 Asbestos		9 Other (specify b		CASING JOI	Welded	
_	4 ABS	7 Fiberglas		5 Other (specify b	•		ThreadedX	
-		•	in. to			#	Till Eaded	
							CU 40	
			., weight	<i>⑦</i> P∨C	_		ΣΠ 40	
TYPE OF SCREE				_	10 Asbestos-c			
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel			5 Fiberglass	, ,	* * * * * * * * * * * * * * * * * * * *			
			Concrete tile		,			
SCREEN OR PER	_		5 Gauze wrapped	` ' '				
1 Continuous sl	_	Mill slot	6 Wire wrapped	9 Drilled holes				
2 Louvered shu		Key punched	7 Torch cut	10 Other (specify)				
SCREEN PERFOR	RATED INTERVA	ALS:	From42ft.					
			Fromft.					
GRAVEL PAC	CK INTERVALS:		From22ft.					
			Fromft.					
6 GROUT MAT		Neat cement	2 Cement grout	~	4 Other			
Grout Intervals:	From1f	ft. to22	ft., Fromft.	To ft., From	ft. t	o f	t.	
What is the neares	st source of possi	ible contamination	n:	10 Livestock pens	5	14 Abandone	ed water well	
1 Septic tank 4 Lateral lines			7 Pit privy	11 Fuel storage		15 Oil well/G		
2 Sewer lines 5 Cess pool		8 Sewage lagoon	12 Fertilizer stora	ge (1600ther (sp	ecify below)		
3 Watertight s	ewer lines 6 9	Seepage pit	9 Feedyard	13 Insecticide sto	rage	Contamin	nated ausite.	
Direction from well	1?			How many feet?				
FROM	ТО	LITHOL	OGIC LOG	FROM	TO	LITHOLO	GIC LOG	
0	6 Cl	ay, stiff, Dark Bro	wn	51.5	59.5	Clay, Yellow	Brown	
6		ay, Sl. Stiff, Red		59.5	62	Shale, v. wea	athered, Red	
11	15 CI:	ay, silty, tr. Sand,	Yellow Brown					
15		ay, silty, Lt. Red I						
22		ay, v. silty, Yellov						
25			el, V. Dark Brown					
29		ay, sand, Yellow						
31			el, Brown to Dark B.					
32		ay, silty, Yellow E						
36		and, m-c, w/f grav						
		and, m-c, w/r grav						
39				 				
45.5			Sand/gravel, Yel. Br.			Diozora	Nr D 1	
51		and, m-c, w/f grav				Piezomete		
			ICATION: This water w	_				
			7/22/10		-	•	-	
Kansas Water We	Il Contractor's Lic	cense No709	This Water We		pleted/on (mo/d	77 /	11/10	
under the busines:				by (signature)	1 from	Kaly		
INSTRUCTIONS	3: Use typewriter or	ball point pen. PLE	ASE PRESS FIRMLY and [PRINT clearly. Please	fill in blanks, und	erline or circle	the correct answers.	
Send top three o	copies to Kansas De	epartment of Health	and Environment, Bureau o	f Water, Topeka, Kans	as 66620-0001.	Telephone: 913	3-296-5545.	
•		R and retain one for		•				