		WAT	ER WELL RECORD F	orm WWC-5	KSA 82	a-1212			
LOCATION OF W		Fraction	SE V SE		tion Numbe	1		Range Numb	
County: 5 A L			address of well if located		14	<u> T /5</u>	S	l R 3	₽ /W
siance and direction	West	• 1	2 mi. Nort		MEN	ItOR KS.			
WATER WELL O			EITEL		///	102, 12			
RR#, St. Address, B	- •		=1/6-			Board of A	ariculture.	Division of Water Re	esource
City, State, ZIP Code	TAR	NOA.KS	. 67483			Application			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF	COMPLETED WELL	5.5	ft. ELEV	ATION:			
AN "X" IN SECTION	N BOX:		dwater Encountered 1,						
	1 : 11		C WATER LEVEL /.						
NW	NE	Pur	np test data: Well water	was		after	hours pu	umping	g pn
	!	Est. Yield 30	.⇒30 gpm: Well water	was	ft.	after	hours pu	umping	g pn
∦ w 	┃		neter 8 in. to . TO BE USED AS: 5	,					ft
<u> </u>		Domestic		Public wate Oil field wa		8 Air conditioning		Injection well	
sw	SE	2 Irrigation				9 Dewatering10 Observation we		Other (Specify below	W)
	1 17	•	l/bacteriological sample su	_				mo/day/yr samole y	
	5	mitted	· Daoionologica, campio ca			ater Well Disinfecte	-		was su
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	•			d Clamped .	
1 Steel	3 RMP (SF	₹)	6 Asbestos-Cement		(specify belo			led	
2 PVC	4_ABS		_ 7 Fiberglass		· · · · · · · · · · · ·		Thre	aded	
Blank casing diamete				in. to		ft., Dia		in. to	ft
Casing height above	land surface	. 1.2	in., weight	1.91	lbs	./ft. Wall thickness	or gauge N	10265	
YPE OF SCREEN	OR PERFORATION	N MATERIAL:		7 PV	_		estos-ceme	_	
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	P (SR)	11 Oth	er (specify)		
2 Brass	4 Galvaniz	ed steel	6 Concrete tile	9 AB	S	12 Nor	e used (op	en hole)	
CREEN OR PERFO	PRATION OPENING	GS ARE:	5 Gauzeo	d wrapped		8 Saw cut		11 None (open ho	ole)
1 Continuous s		ill slot	6 Wire w	rapped		9 Drilled holes			
2 Louvered shu	itter 4 Ke	ey punched	7 Torch o			10 Other (specify)		
SCREEN-PERFORAT	TED INTERVALS:	From '	4.7ft. to	55	ft., Fro	om	ft. 1	to	ft
		From	<u></u> ft. to		ft., Fro	om	ft. 1	to	ft
GRAVEL P	ACK INTERVALS:	From	. 5 ft. to	. 55	ft., Fro	om	ft. 1	to	ft
		From	ft. to		ft., Fro				ft
GROUT MATERIA			2 Cement grout	3 Bento					
			ft., From	ft. 1	to	ft., From	. .	ft. to	ft
What is the nearest s	source of possible	contamination:			10 Live	stock pens	14 A	bandoned water wel	H
Septic tank	4 Latera	al lines	7 Pit privy 11 Fue			el storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool						tilizer storage 16 Other (specify below)			
•	wer lines 6 Seepa	age pit	9 Feedyard			cticide storage	· · · · · · · · · · · · · · · · · · ·		
Direction from well?	WEST	1171101001		T 50014 1			oft	10.1.00	
FROM TO	1 -Ca - C	LITHOLOGIC	LOG	FROM	то		LITHOLOG	IC LOG	
0 5	I D P 3	DIL	1 4.7						
5 19,	LTY	gray c	CAY			The state of the s			
19 36 36 55 55 56	GRAY	-EAY	IN COUL						
36 55	mealur	n brow	SAND						
55 56	gree	N Sha	76						
	ļ -								
								-	
	-							The state of the s	
	<u> </u>								
	 								
	1								
	1							4	
CONTRACTOR'S	OR LANDOWNER	'S CERTIFICAT	TION: This water well was	(1) construc	(2) red	onstructed, or (3) p	lugged und	der my jurisdiction a	nd was
ompleted on (mo/da	y/year)	16-29.T.						owledge and belief. I	Kansas
			This Water We				.8∹,3	75.T	
nder the business n	ame of rete	CSON TI	-rigation, I	-NC.	by (signa			teiso	
			SE PRESS FIRMLY and ment, Division of Environm						
WNER and retain o				on, Liviloili		g, occion, ropeka,		OSIN ONE IO WATER	· **ELL