

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County SALINE	Fraction SE 1/4 SE 1/4 SE 1/4	Section number 26	Township number T 15 S	Range number R 3 W
2. Distance and direction from nearest town or city: Street address of well location if in city:	2 mi NORTH OF ASSARIA, KS		3. Owner of well: DERAID BLAKE R.R. or street: R.R. City, state, zip code: ASSARIA, KANSAS 67416		
4. Locate with "X" in section below: Sketch map:	<p>DOMESTIC WELL</p>		6. Bore hole dia. 8 in. Completion date Well depth 37 ft. 3/15/79		
5. Type and color of material	From		To		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary
Top soil	0		4		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Brown clay	4		12		9. Casing: Material <input type="checkbox"/> Height: <input checked="" type="checkbox"/> Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.5 lbs./ft.
Creek gravel	12		18		Dia. 4 in. to 18 ft. depth Wall Thickness: inches or Dia. 4 in. to 37 ft. depth gage No. 25
Fine sand	18		25		10. Screen: Manufacturer's name Peerless Plastics
Creek gravel	25		28		Type PVC Dia. 4"
Green shale	28		32		Slot/gauze 1/32 Length 10'
Blue shale	32		40		Set between 18 ft. and 28 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4
					11. Static water level: 21 ft. below land surface Date 3/15/79 mo./day/yr.
					12. Pumping level below land surfaces: 30 ft. after 1 1/2 hrs. pumping 10 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 15 g.p.m.
					13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date
					14. Well head completion: Pitless adapter 12 inches above grade
					15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
					16. Nearest source of possible contamination: ft. 300 Direction North Type Sewer lines Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
					17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. PETERSON IRRIGATION 138 Business name License No. Address Box 150 LINCOLN, KS Signed Mike Peterson Date 4-2-79 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5