

DDA

1 LOCATION OF WATER WELL
 County: Logan Fraction: NE 1/4 SE 1/4 SE 1/4 Section Number: 6 Township Number: T 15 S Range Number: R 34 EW

Distance and direction from nearest town or city? 8 south, 1 3/4 east Russell Springs
 Street address of well if located within city?

2 WATER WELL OWNER: Bouziden Ranch; Albert Bouziden
 RR#, St. Address, Box #: PO. Box 211
 City, State, ZIP Code: Alva Oklahoma 73717
 Board of Agriculture, Division of Water Resources Application Number:

3 DEPTH OF COMPLETED WELL: 38 ft. Bore Hole Diameter: 8 in. to 38 ft., and ... in. to ... ft.
 Well Water to be used as:
 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)
 10 Observation well
 Well's static water level: 17 ft. below land surface measured on 9 month 17 day 1979 year
 Pump Test Data: Not tested
 Est. Yield: Not tested gpm Well water was ... ft. after ... hours pumping ... gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing dia: 5 in. to 28 ft., Dia: ... in. to ... ft., Dia: ... in. to ... ft.
 Casing height above land surface: 18 in., weight: 19/10 lbs./ft. Wall thickness or gauge No: 1/4 .250

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 6 RMP (SR) 10 Asbestos-cement 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 10 Other (specify)
 Screen-Perforation Dia: 5 in. to 28-38 ft., Dia: ... in. to ... ft., Dia: ... in. to ... ft.
 Screen-Perforated Intervals: From 28 ft. to 38 ft., From ... ft. to ... ft., From ... ft. to ... ft.
 Gravel Pack Intervals: From 18 ft. to 38 ft., From ... ft. to ... ft., From ... ft. to ... ft.

5 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 4 ft. to 18 ft., From ... ft. to ... ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) use for cattle
 Direction from well: North How many feet: 2640? Water Well Disinfected? Yes No Windmill
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted ... month ... day ... year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts ...
 Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 9 month 17 day 1979 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 139
 This Water Well Record was completed on 9 month 24 day 1979 year under the business name of Bartell Drilling by (signature) Daylene Jroufe

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM		LITHOLOGIC LOG	TO		LITHOLOGIC LOG
	0	20		0	20	
	0	20	top soil			
	20	32	sand & clay strips			
	32	34	joint clay			
	34	38	shale			
BROCK 34						

ELEVATION: Depth(s) Groundwater Encountered 1. ... ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
15
R
34
EW
SEC.
NE 1/4
SE 1/4
SE 1/4