WATER WELL RECORD	FORM WWC-		vision of Water Resource		
1 LOCATION OF WATER WELL: F	raction			hip No. Range Number	
County: \log_{10} $SE^{1/4}$ $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$			35 T 15 S R 35 □E 🖼 W		
Street/Rural Address of Well Location; if u		Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here . Latitude:					
Longitude: (in decimal degrees)					
15 1 d act at 1 le mile 11 an Al cile (and Elevation:					
13 mile N 05 Leofi 1/2 Mile W 8h 1/3 sae 12h Datum: WGS 84, NAD 83, NAD 27					
15 mile N 05 Leoti 1/2 mile W on N side law 2 WATER WELL OWNER: Keith Niswonger RR#, Street Address, Box #: 109 County Rd 120 Digital Man/Photo Topographic Man Land Survey					
RR#, Street Address, Box #: 109 (e.1 nty Rd 120) GPS unit (Make/Model:					
City, State, ZIP Code					
3 LOCATE WELL	'	120	•		
WITH AN "X" IN 4 DEPTH OF CO	MPLETED WELL	اخط	It.		
SECTION BOX: Depth(s) Groundwa	ater Encountered (1)	7.⊃ ft	(2)	. ft. (3) ft.	
N WELL'S STATIC	4 DEPTH OF COMPLETED WELL				
Pump te:	Pump test data: Well water was 9.5 ft. after hours pumping gpm				
EST. YIELD\(\sigma\).	EST. YIELD				
W E Bore Hole Diameter					
WELL WATER TO	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well				
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Irrigation Industrial Domestic-lawn & garden Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Congression Clamped Welded Threaded					
Casing diameter in. to 126 ft., Diameter in. to ft., Diameter ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No.					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel	None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 22					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite NOther					
Grout Intervals: From					
What is the nearest source of possible contamination:					
Septic tank		estock pens	☐ Insecticide storage	Other (specify below)	
Sewer lines Cesspool		el storage	Abandoned water we		
☐ Watertight sewer lines ☐ Seepage pit		tilizer storage	Oil well/gas well ,		
Direction from well				۲	
FROM TO LITHOLOGIC		ом то		t.) or PLUGGING INTERVALS	
-T.			1 - 1 - 1 - 1 - 1 - 1		
	10.1 - 1				
28 34 sand Stone o	Arc cray				
34 69 sand stone					
69 82 (lay					
	Sand				
98 105 Yellow limes	stone				
105 128 Shell					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year) . \$\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.					
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)					
under the business name of Driffer By Owner by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeda, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html					