WATER WELL RECORD		Form W	NC-5	Division of	Water Resources App. N	lo
	LOCATION OF WATER WELL: County: Saline		1/4 SE 1/4	Section Numb		
Street/Rural A	Address of Well Location;	if unknown, distance &	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .				Latitude: 38.434		
Approximately 1.5 miles SW of the intersection of Smolan and Burma Roads near Smolan.			Elevation: .1294.2			
			Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Morrison Ventures RR#, Street Address, Box #: 1700 East Iron			Collection Method: ☐ GPS unit (Make/Model: Sokkia Radian IS)			
City, State, Z		KS 67401		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
3 LOCATE WE				Est. Accuracy:	\square <3 m, \square 3-5 m, \square	5-15 m,>15 m
WITH AN "X	" IN 4 DEPTH OF	COMPLETED WELI	49		ft.	
SECTION BO	Depth(s) Groundwater Encountered (1).22.8 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL.22.8 ft. below land surface measured on mo/day/yr.11/21/11					
	WELL'S STATIC WATER LEVEL44:9ft. below land surface measured on mo/day/yr1.1/2.1/3.1 Pump test data: Well water was					
EST. YIELDgpm. Well water wasft. after hours pumpir						nping gpm
W E Bore Hole Diameter 3.49in. toft., andin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SW SE						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted						
S TYPE OF CASING USED: Steel PVC Other						
Casing diameter .1 in. to .49 ft., Diameter in. to ft., Diameter ft.						
Casing height above land surface31						
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
Grout Intervals: From .0						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well VOC contamination						
Direction from well						
FROM TO	LITHOLOG		FROM			UGGING INTERVALS
0 1.5	Topsoil					
1.5 20 20 24	Clay Silty Clay					
24 32	Sandy Silt					
32 38	Silty Clay					
38 43	Sandy Silt					
43 49	Silty Clay					
				MW-2		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .1.1/21/11 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No7.09 This Water Well Record was completed on (mo/day/year) .1.127.1						
under the business name of Plains Environmental Services by (signature) www. Laddi.						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						
12012 020-1212				Jiioon.	~~~,	, <u></u>