		L RECORD	Form WV	/C-5	Div	ision of Wate		o.		
	1 LOCATION OF WATER WELL: County: Saline		Fraction SE ¼ SW ¼ SE	% SE %	Sectio	n Number 24	Township No.	Range Number R № 4 □E ☑W		
Stree	t/Rural A	ddress of Well Location; i	Positioning	System (GPS) is	nformation:					
	from nearest town or intersection: If at owner's address, check here						Latitude: .38.726 (in decimal degrees) Longitude: :47.4239.7, 70.9.9.7 (in decimal degrees)			
	Approximately 1.5 miles SW of the intersection of Smolan and Burma Roads near Smolan.					Elevation:				
2 WATER WELL OWNER: Morrison Ventures						Elevation:				
	Address, Box #: 1700 Ea			Collect	tion Method:	ke/Model: Garma	n 60SX			
City State 710 Code			(S 67401 Digital Map/Photo, Topographic Map, L				e Map, Land Survey			
1 100	175 117				Est. Ac	curacy: 🗌 <	3 m, 🛭 3-5 m, 🗀	5-15 m, ->15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 45										
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).49							(3) ft.		
N WELL'S STATIC WATER LEVEL 19ft. below land surface measured on mo/day/yr. 3/1							lay/yr.3/12/13			
	W N	more same	test data: Well water was							
w N	W	E Bore Hole Diam	eter 4in. to .45ft., andin. toft.							
WELL WATER TO BE USED AS:										
swse Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes Y No								************************		
S If yes, mo/day/yr sample was submitted										
mile Water well disinfected? ☐ Yes ☑ No										
5 TYPE OF CASING USED: Steel PPVC Other										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter										
Casing height above land surface. 30 in., Weight bs/ft., Wall thickness or gauge No. SGH.40.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
From										
Grout Intervals: From										
What is the nearest source of possible contamination:										
Septie tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well										
Watertight sewer lines ☐ Scepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well										
Dire	ction from	n well								
	1.5	LITHOLOG	IIC LOG	FROM	10	LITHO. L	OG (cont.) of PLC	UGGING INTERVALS		
1.5	20	Topsoil Clay								
20	24	Silty Clay								
24	32	Sandy Silt								
32	38	Silty Clay				· · · · · · · · · · · · · · · · · · ·				
38 43	43	Sandy Silt Silty Clay								
13	170	CART CIAT								
		0010 00 1 1110 0110				MW-32d	nyoted [] reserve	nicted or Chalconed		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .3/5/13										
Kansas Water Well Contractor's License No. 709 This Water Well Record was completed on (mo/day/year) 3/19/13										
under the business name of Plains Environmental Services, Inc. by (signature) . Lat										
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blands and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.										
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include 100 of 53.00 for each constructed well. YESE us at										
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy										
TOTA OF						_				