				WWC-5			rision of Wate	1				
Origina	l Record	Correction	Chang	ge in Well Use			ources App. N		1: 17. 1	Well ID	- N	
1 LOCA	FION OF V Saline	VATER WEL	ıL:	Fraction	4 SE 1/4		ction Numbe 31	7 10	wnship Numb T 15 S		ige Number □ E ■ W	
County.							Street or Rural Address where well is located (if unknown, distance and					
Business: 22nd CES CEVQ USAF direction from nearest town or intersection): If at owner's address, check here:												
Address: 5300 Hutchinson St.												
Address: Suite 109 MAFB City: Wichita State: KS ZIP: 67211												
										4.0459		
4 DEPTH OF COMPLETED WELL:												
	SECTION BOX: Depth(s) Groundwater Encountered: 1)											
WELL'S STATIC WATER LEVEL:											83 LI NAD 27	
		1	below land surface, measured on (mo-day-yr					Source for Latitude/Longitude: GPS (unit make/model:)				
NW	NE		above land surface, measured on (mo-day-yr				. "	(WAAS enabled? ☐ Yes ☐ No)				
	111		Pump test data: Well water was					☐ Land Survey ☐ Topographic Map				
W	W E after hours pumping Well water was						Online Mapper:					
after hours pumping												
	Estimated Y	stimated Yield:gpm Bore Hole Diameter:8.25 in. to				6 Elevation:ft.						
	S	Bore Hole I	Bore Hole Diameter:8.25 in. to .12			ft. and Source: Land Survey						
mile in. to ft. Other												
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID												
Household 6. Dewatering: how many wells?												
	& Garden	7.	7. Aquifer Recharge: well ID						Uncased 🔲 C			
. —									ow many bores			
2. Trrigat				tal Remediation se					p 🔲 Horizont Surface Dis			
4. Indust			Recovery		ection	Auacuon			ify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded												
Casing diameter 2 in to 35 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 0 in Weight lbs./ft. Wall thickness or gauge No. SCD 40												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From .35 ft. to .45 ft., From												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 6. ft. to												
Nearest source of possible contamination:												
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage												
Sewer		_	Cess Pool	= -	ewage Lag		Fuel Storage		_	ned Water	Well	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify)												
Direction from well? ft.												
10 FROM	TO	I	ITHOLO	GIC LOG		FROM					G INTERVALS	
0	7	Clay, gray a				ļ						
7	15	Weathered s	shale, gra	ıy		ļ						
15	25	Clay, gray				 						
25	45	Weathered s	maie, gra	у		 						
						 	 					
						Notes:	L					
						1						
11 CONT	RACTOR'	S OR LANDO	OWNER'	S CERTIFIC	CATION	: This wate	r well was	constr	ucted, 🗌 reco	nstructed,	or plugged	
under my j	urisdiction a	and was complentractor's Lice	eted on (r	no-day-year) 604	.0:UZ-10)and ter Well Da	this record i	s true to	the best of my	y knowled	ge and belief.	
under the h	usiness nam	ntractor's Lice	mental o	riority Service	ce. inc.	Si	gnature	XX A	л (шо-аау-уе 1 х	ه. ۲.۲	Į.4.×	
Mail	l white copy a	ong with a fee of	\$5.00 for ea	ch constructed w	ell to: Kan	sas Department	of Health and	Environme	nt, Bureau of Wa	ter, GWTS S	ection,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.												
Visit us at				.,		KSA 82a-12	12			_Revised	7/10/2015	