WATER WELL F		WWC-5		ision of Water		
Original Record		e in Well Use		urces App. No.		Well ID
1 LOCATION OF W	ATER WELL:	Fraction NW 1/4 NW 1/4 SE 1/4		tion Number 31	Township Number	
County: Saline		T 15 S	R 4 DE W			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:						
Address: 5300 Hutchinson Street						
Address: Suite 109 MAFB City: Wichita State: KS ZIP: 67211						
						-
WITH "X" IN	4 DEPTH OF COMPLETED WELL:45.					
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude: 97.80266 (decimal degrees) Horizontal Datum: ■WGS 84 □ NAD 83 □ NAD 27		
N	WELL'S STATIC WATER LEVEL: 27.9 ft.				Latitude/Longitude:	LI NAD 83 LI NAD 27
	below land surface, measured on (mo-day-yr))
NW NE	Dabove land surface, measured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)		
			Land Survey Topographic Map			
W	after hours pumping					
swse	after hours pumping gpm					
 _ _	Estimated Yield:gpm				i:t.	Ground Level TOC
S	Bore Hole Diameter: 8.25 in. to 45 ft. and in. to ft. Source: Land Survey GPS Topographic Map					
7 WELL WATER TO BE USED AS:						
1. Domestic:		ter Supply: well ID		10. 🔲 Oil Fi	eld Water Supply: lea	ıse
☐ Household] Household 6. ☐ Dewatering: how many wells? 11. Test Hole:					
□ Lawn & Garden 7. □ Aquifer Recharge: well ID						
2. Irrigation						
3. Feedlot						charge
4. Industrial	☐ Recovery					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:						
Water well disinfected? Yes No						
8 TYPE OF CASING	USED: ☐ Steel ■ PV	C Other	CASIN	IG JOINTS: [Glued Clamped	☐ Welded ☐ Threaded
Casing diameter 2 in to 25 ft., Diameter in to ft., Diameter in to ft. Diameter in to ft. Casing height above land surface in Weight lbs./ft. Wall thickness or gauge No. SCh.40						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous Slot						
SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From						
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
Nearest source of possible contamination: Septic Tank						
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well						
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well						
Direction from well?						
10 FROM TO	LITHOLOG		FROM			PLUGGING INTERVALS
	silt, red brown		1110112		110. 200 (0011.) 01 1	DOGGING INTERCYTES
8 35	clay, grey to brown					
35 45	clay, dark grey					
			Notes:			
TYPES.						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo-day-year) .8-18-16						
under the business name	ntractor's License No9 e of Environmental Pr	into wat	well Keco	nature 1 M	on (mo-day-yea	п)1-1-1-2-1-12-
Mail 1 white copy alo	ong with a fee of \$5.00 for each	h constructed well to: Kans	as Department	of Health and Env	ronment, Bureau of Wat	er, GWTS Section,
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.						
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015						