

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Saline		NE ¼ SE ¼ SE ¼	5	T 15 S	R 4
Distance and direction from nearest town or city street address of well if located within city? 2 miles South & 1 mile West of Bavaria, KS					
WATER WELL OWNER:	Leland Richards				
RR#, St. Address, Box # :	108 W. Franklin	Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :	Salina, KS 67401	Application Number:			
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL: 47 ft. ELEVATION:				
	Depth(s) Groundwater Encountered 1. 26 ft. 2. . ft. 3. . ft.				
	WELL'S STATIC WATER LEVEL 26 ft. below land surface measured on mo/day/yr 7-26-88				
	Pump test data: Well water was . ft. after . hours pumping . gpm				
	Est. Yield 15-30 gpm: Well water was 30 ft. after 1½ hours pumping 12 gpm				
Bore Hole Diameter . 8 in. to . 47 in. and . in. to . ft.					
WELL WATER TO BE USED AS:					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well					
Was a chemical/bacteriological sample submitted to Department? Yes.....No..X.....; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
TYPE OF BLANK CASING USED:	CASING JOINTS: Glued Clamped				
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (specify below) Welded				
2 PVC 4 ABS	7 Fiberglass Threaded				
Blank casing diameter 5 in. to 37 in., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface 12 in., weight 2.91 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
3 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 37 ft. to 47 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 25 ft. to 47 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? None within ¼ mile How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Top Soil			
3	19	Tan Clays			
19	25	Gray Clay			
25	27	Fine Sand & Creek Gravel			
27	34	Gray Clay			
34	45	Fine sand & Coarse Creek Gravel			
45	47	Green Shale "hard"			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-26-88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 7-28-88 Under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.					