

1 LOCATION OF WATER WELL: County: <u>Saline</u>	Fraction <u>SE 1/4 SE 1/4 NE 1/4</u>	Section Number <u>20</u>	Township Number T <u>15</u> S	Range Number R <u>4</u> EW
--	---	-----------------------------	----------------------------------	-------------------------------

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>MAFB / SHWR</u>	#3
RR#, St. Address, Box # : City, State, ZIP Code :	Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>23'</u> ft. ELEVATION:
--	--

1 Mile

Depth(s) Groundwater Encountered 18' ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 18' ft. below land surface measured on mo/day/yr 8/21/92

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft. and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well

12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
------------------------------	----------------	-----------------	------------------------------

1 Steel 3 RMP (SR)

2 PVC 4 ABS

Blank casing diameter 4 1/2 in. to ft. Dia Hand Dig Rock in. to ft. Dia

Casing height above land surface 60 in. weight lbs./ft. Wall thickness or gauge No.

6 Asbestos-Cement 9 Other (specify below)

7 Fiberglass

Welded

Threaded

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
---	-------	--------------------

1 Steel 3 Stainless steel

2 Brass 4 Galvanized steel

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot

2 Louvered shutter 4 Key punched

5 Fiberglass 8 RMP (SR)

6 Concrete tile 9 ABS

5 Gauzed wrapped 8 Saw cut

6 Wire wrapped 9 Drilled holes

7 Torch cut 10 Other (specify) Rock NA

11 None (open hole)

SCREEN-PERFORATED INTERVALS:	From <u>NA</u> ft. to <u>NA</u> ft.	From <u>NA</u> ft. to <u>NA</u> ft.
------------------------------	-------------------------------------	-------------------------------------

GRAVEL PACK INTERVALS:	From <u>N/A</u> ft. to <u>N/A</u> ft.	From <u>N/A</u> ft. to <u>N/A</u> ft.
------------------------	---------------------------------------	---------------------------------------

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	----------------	-------------	---------

Grout Intervals: From 5.5 ft. to 6 ft. From 6 ft. to 18 ft. From 18 ft. to 23 ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<u>NONE</u>

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			0	5.5	Compacted Soil
			5.5	6	Cement
			6	18	Rock Sides & Compacted Soil
			18	23	Chlorinated Sand Fill

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-21-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>9-29-92</u> This Water Well Record was completed on (mo/day/yr) <u>9-29-92</u> under the business name of <u>Hoppe Construction Co. Inc.</u> by (signature) <u>[Signature]</u>
--