	, INE	" " SE " SE	1/4	tion Numb		5 s	Range N	•w
	om nearest town or city str	eet address of well if located	within city?	Jane	1/		· · · · · · · · · · · · · · · · · · ·	
	My Nactho	dm, West	of Sm	DIAN	Ks,			
ATER WELL OWN		CAROL BROWN		,	Board	of Agriculture, [Division of Wat	or Bosouros
St. Address, Box		<i>V. / ¬11/-/</i>				ution Number:	DIVISION OF WAL	ei nesouice
State, ZIP Code CATE WELL'S LO	CATION WITH A DEPTH	7)	4/2	4 FIF				
"X" IN SECTION	BOX: Depth(s) G	of COMPLETED WELL		1	ft. 2	ft. 3		
	! WELL'S ST	TATIC WATER LEVEL 13						
\w -	- NE	Pump test data: Well water				•	. •	•
1	• 1 1	gpm: Well water				•		
w 	E	Diameterin. to			•			.
" I I I	1 1 1		Public water		8 Air condition	•	Injection well	
sw	- SE - 1 Dom		Oil field wa				Other (Specify	below)
	2 Irriga				y 10 Monitoring			
		mical/bacteriological sample sul	omitted to D					npie was su
<u> </u>	mitted	E Manual inco	8 Concre		Water Well Disinf		No Clam	ned
PE OF BLANK CA	3 RMP (SR)	5 Wrought iron 6 Asbestos-Cement		ete tile (specify be		JOINTS: Glued	a	
1 Steel 2 PVC	4 ABS	7 Fiberglass		Specify by			aded	
		ft., Dia						
		in., weight						
•	PERFORATION MATERIA		7 PV			Asbestos-ceme		
1 Steel	3 Stainless steel	5 Fiberglass		IP (SR)	_	Other (specify)		
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB			None used (op		
	ATION OPENINGS ARE:	5 Gauzed		•	8 Saw cut	• •	11 None (op	en hole)
1 Continuous slot	3 Mill slot	6 Wire wr			9 Drilled ho			11010)
2 Louvered shutte		7 Torch c	• •			ecify)	/ <u>A</u>	
EEN-PERFORATE		NA ft. to		ft f				
		ft. to						
GRAVEL PAC		ft. to		•	10111			
GILLAG	K HAILITALO. I TOHI			# 1	From	π τ	0	n
	From	ft. to		•		_		_
	From 1 Neat cement	ft. to		ft., I	From	ft. t	0	fi
ROUT MATERIAL:	1 Neat cement	, 2 Cement grout	3 Bento	ft., f	From 4 Other	ft. t		f1
ROUT MATERIAL: t Intervals: From	1 Neat cement ft. to	, 2 Cement grout	3 Bento	ft., I	From 4 Other ft., From	ft. t		f1
ROUT MATERIAL: t Intervals: From t is the nearest sou	Neat cementft. to	, 2 Cement grout	3 Bento	ft., fonite to 10 Liv	From 4 Other ft., From the stock pens	ft. t		ft
ROUT MATERIAL: t Intervals: From t is the nearest sou 1 Septic tank	Neat cement It. to It. to It	2 Cement grout 7 ft., From	3 Bento ft.	ft., f onite to 10 Liv 11 Fu	From 4 Other	ft. t	o	fi ft ft er well
ROUT MATERIAL: t Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines	Neat cement 1 Neat cement 1 to	2 Cement grout 7 Cement grout 7 Pit privy 8 Sewage lagoo	3 Bento ft.	ft., f onite to 10 Liv 11 Fu 12 Fe	From 4 Other tt., Fror vestock pens uel storage ertilizer storage	ft. t	t	ftftft ft er well
ROUT MATERIAL: t Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	Neat cement It. to It. to It	2 Cement grout 7 ft., From	3 Bento ft.	ft., f nnite to 10 Li 11 Fc 12 Fe 13 In	From 4 Other ft., From vestock pens uel storage entilizer storage secticide storage	ft. t	o	ftftft ft er well
ROUT MATERIAL: It Intervals: From It is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout 7 Cement grout 7 Pit privy 8 Sewage lagoo	3 Bento ft.	ft., f nnite to 10 Li 11 Fc 12 Fe 13 In	From 4 Other ft., From vestock pens uel storage entilizer storage secticide storage many feet?	ft. t	ther (specify b	ftftft ft er well
ROUT MATERIAL: it Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., f nnite to 10 Lin 11 Fc 12 Fe 13 In: How	From 4 Other ft., From vestock pens uel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	ftftft ft er well
ROUT MATERIAL: t Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., f nnite to 10 Lin 11 Fc 12 Fe 13 In: How	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	ftftft ft er well
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., f nnite to 10 Lin 11 Fc 12 Fe 13 In: How	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi ft ft er well
ROUT MATERIAL: t Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi ft ft er well
ROUT MATERIAL: t Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi ft ft er well
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi fi er well
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	ff f er well
ROUT MATERIAL: t Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	ftftft ft er well
ROUT MATERIAL: t Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well?	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi fi er well
ROUT MATERIAL: t Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi ft ft er well
ROUT MATERIAL: it Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	ftftft ft er well
ROUT MATERIAL: t Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	1 Neat cement 1 ft. to 1 tree of possible contamination 4 Lateral lines 5 Cess pool r lines 6 Seepage pit	2 Cement grout Con: 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., in the state of the state	4 Other ft., Fronvestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O	ther (specify b	fi
ROUT MATERIAL: t Intervals: From t is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ction from well? OM TO	1 Neat cement ft. to ft	, 2 Cement grout 7	3_Bento ft. FROM 4 4	ft., I onite to	From 4 Other ft., From vestock pensuel storage entilizer storage secticide storage many feet?	ft. to 14 A 15 O 16 O 16 O	ther (specify b	ftft er well l elow)
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well? DM TO ONTRACTOR'S O	1 Neat cement 1 to	2 Cement grout 2	3_Bento ft. FROM 4 4 6 (1) constru	ft., I onite to	From 4 Other ft., From vestock pensuel storage secticide storage many feet?	ft. to 14 A 15 O 16 O	bandoned water il well/Gas well ther (specify bandoned) NTERVALS	ff er well l elow)
ROUT MATERIAL: Intervals: From is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe tion from well? DM TO	1 Neat cement 1 to	, 2 Cement grout 7	3_Bento ft. FROM 4 4 6 (1) constru	ft., I	4 Other ft., From vestock pensuel storage secticide storage many feet?	ft. to 14 A 15 O 16 O	bandoned water il well/Gas well ther (specify bandoned) NTERVALS	f f f f f f f f f f f f f f f f f f f