		ATER WELL RE	CORD	Form WWC-5	KSA 82a-	1212 ID N	lo				
	WATER WELL:	Fraction			Se	ction Number	Township Nun	nber	Range Nu	mber	
County: Sali			4 SW	½ NE			T 15	s	R 5	R /W	
	ction from nearest to	-			•						
1 mile	East & 1/2	mile Sc	outh o	of Brook	ville,	Ks.					
2 WATER WELL	OWNER: Marv						WEJI #	12-l	X6		
RR#, St. Address,		E. Crawf	ord :	St.					vision of Water	Resources	
City, State, ZIP Co		na, Kans	sas (67401			Application N				
	S LOCATION WITH	4 DEPTH OF	COMPLE	TED WELL	49	ft. ELEVA	ATION:				
AN "X" IN SECT		Depth(s) Grou	undwater	Encountered	1	f	t. 2	ft. 3 .		ft.	
I	N	WELL'S STAT	IC WATE	R LEVEL4.3.	ft. bel	ow land surfa	ce measured on mo/d	ay/yr	2/6/06		
1	1	Fet Viold 15	ump test o	data: Well wate	er was	π.	afterafter	hours pu	mping	gpm	
NW-	NE	WELL WATER				supply			ection well	gpm	
	 X	1 Domesti		Feedlot 6	Oil field wate	r supply	9 Dewatering	1 X Ot	her (Specify bel	low)	
w 	 	2 Irrigation	1 4 I	ndustrial 7	Domestic (lav	wn & garden)	10 Monitoring well	sto	ock		
1											
SW SE Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample was										e was sub-	
mitted Water Well Disinfected? Yes X No											
	 Q								-		
5 TYPE OF BLA	NK CASING USED:		5 Wro	ught iron	8 Concre	ete tile	CASING JOIN	TS: Glued	X Clamps		
1 Steel	3 RMP (S			estos-Cement		(specify below			ed		
X PVC	4 ABS	,	7 Fibe	rglass					ded		
Blank casing diam	neter5	in. to	29	ft., Dia		in. to	ft., Dia		in. to	ft.	
Casing height abo	ve land surface	1.2	in.,	weight2	3.7		. lbs./ft. Wall thickness	or guage	No 2.1.4		
TYPE OF SCREE	N OR PERFORATIO	N MATERIAL:			X7 PV	′C	10 Asbes	stos-Ceme	ent		
1 Steel	3 Stainles		5 Fibe	•		MP (SR)					
2 Brass	4 Galvaniz	ed Steel	6 Con	crete tile	9 AE	S	12 None	used (ope	en hole)		
SCREEN OR PER	REPORATION OPENIN	NGS ARE:		5 Gua	zed wrapped		8 Saw cut		11 None (open	hole)	
1 Continuous		fill slot			wrapped		9 Drilled holes				
2 Louvered s	hutter 4TK	ey punched		7 Torc			10 Other (specify)				
SCREEN-PERFO	RATED INTERVALS	: From 29		ft. to	49	ft., From	1	ft. to .		ft.	
CDAVE	L PACK INTERVALS	From		ft. to	ΛQ	ft., From	1 1	ft. to .		ft.	
GNAVE	L FACK INTERVALS						 				
						,					
6 GROUT MAT		t cement		ement grout	X Ben		4 Other				
Grout Intervals:	From0.	ft. to2	.01	ft., From	ft. t	to	ft., From		. ft. to	ft.	
What is the neares	st source of possible	contamination:	None	within (600 ft.	10 Lives	tock pens	14 Ab	andoned water	well	
1 Septic tank 4 Lateral lines 7 Pit privy									l well/Gas well		
2 Sewer lines	5 Cess	pool		8 Sewage	lagoon	agoon 12 Fertilizer storage			16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyar	d	13 Insec	cticide storage				
Direction from wel	<u> ?</u>					How mai	ny feet?				
FROM TO)	LITHOLOGI	C LOG		FROM	то	PLUG	GING INT	ERVALS		
0 3	Sandy	topsoil									
3 3				_							
38 3											
39 4		fine/cre	ek ar	avel							
45 5											
		<u> </u>									
										· · · · · · · · · · · · · · · · · · ·	
7 CONTRACTOR	PR OR LANDOWER	D'S CEDTIEIS	ATION: T	nin water			anaturated as (0)				
completed on (mail	day/year) 2/ .8	no CERTIFICA	ALION: II	iis water well w	as Ki) constri	uctea, (2) reco	onstructed, or (3) plug ecord is true to the best	ged unde	er my jurisdiction	n and was	
Water Well Contract	uay/year)	138		Thie Water	Well Record	and this re	ecord is true to the best ed on (mo/day/yr) 2	. OF My Kno	wieuge and beli 16	ei. Nansas	
under the business				ion, Inc			(signature)	17-		•	
				•			c correct answers. Send top ti		Kansas Danatar	t of Hooles	
and Environment, Bu	reau of Water, Geology Se	ction, 1000 SW Jack					correct answers. Send top to 5522. Send one to WATER W				
records. Fee of \$5.0	0 for each constructed well.										