WATE	R WELL	RECORD	Form WWC-5		Division of Wa	Division of Water Resources; App. No.		
1 LOCATION OF WATER WELL: County: Ellsworth			Fraction	4	Section Number		Range Number	
Coun	ity: []	Worth	NE1/4 NW/4 54		29	T /5 S	R 7 PW	
	nce and dii ed within c	ection from nearest town or c	ity street address of well	11 (Jobal Positionii	ng Systems (decimal deg	rees, min. of 4 digits)	
locate	ed willing c	ty:			Lanuae.	38.71733 98.12842		
2 WA	TER WEI	LOWNER: (accu and	Shorley Danley		Elevation:	1629		
RR#	, St. Addre	LOWNER: Gary and sss, Box # : 1189 20+1			Datum:	1627		
City,	, State, ZIP	Code : Vanalis	VC 17454			n Method: W65	AU	
3 I OC	ATE WEI	Code : Kanopolis, L'S 4 DEPTH OF COM	PLETED WELL	60	Data Concerto			
Į.	ATE WE							
l .	H AN "X"	IN Depth(s) Groundwater	Depth(s) Groundwater Encountered (1). 2 / ft. (2). ft. (3). ft. WELL'S STATIC WATER LEVEL. ft. below land surface measured on mo/day/yr. 3/4/20/0 Pump test data: Well water was ft. after hours pumping gpm					
	TION BO	WELL'S STATIC WA	ATER LEVEL	ER LEVEL				
	N	Pump test data	Well water wasft. after hours pumping					
		Est. Tield.	ii. Weii watei was		It. anci	nours pumping.	gpm	
NV	v NE -	WELL WATER TO E	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
W Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes							her (Specify below)	
							•••••	
							If yes mo/day/yrs	
Sample was submitted								
	S							
5 TVPI	FOFCAS	NG USED: 5 Wrought	Iron 8 Concre	te tile	CASI	NG JOINTS: Glued.	C Clamped	
1 1 1	Steel	3 RMP (SR) 6 Asbestos	-Cement 9 Other (Clampea	
1	PVC	4 ABS 7 Fiberglas	s			Threaded	1	
Blank ca	asing diame	ter	ft., Diameter	 i	n. to 1	ft., Diameter	in. toft.	
Casing height above land surface								
1		OR PERFORATION MATE						
ĺ	Steel		rglass PVC	9 A	ABS			
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slov 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
) 2	Louvered	hutter A Key nunched 6 V	Vire wranned & Say	w cut	10 Other (spec	ify)		
SCREE	N-PERFOR	ATED INTERVALS: From.	30 ft. to .S	Ø	ft., From	ft. to .:	ft.	
SCREEN-PERFORATED INTERVALS: From 30 ft. to 50 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 60 ft., From ft. to ft.								
	GRAVEL	PACK INTERVALS: From	7. . 9 ft. to (60	ft., From	ft. to .	ft.	
		From.	ft. to	······	ft., From	ft. to	ft.	
6 GPO	HT MATI	CRIAL: 1 Neat cement 2	Cement grout 3 Bent	onita	4 Other			
Grout In		From ft. to						
		source of possible contamina				,	_	
							6 Other (specify	
	Sewer line			Fuel st	•	Abandoned water well	below)	
		sewer lines 6 Seepage pit				Oil well/gas well	pen pasture	
		1? North				5. *		
FROM	TO	LITHOLOGIC	CLOG	FROM	TO	PLUGGING INT	ERVALS	
र	3	Soil,						
3_	10	Sandsporte	,,					
70	24		Hered					
24	50	Sandstore H	,					
30	60	Source, gray	770000 700000					
		,						
7 CON	TRACTO	R'S OR LANDOWNER'S C	ERTIFICATION: Thi	s water	well was con	structed, (2) reconstruc	ted, or (3) plugged	
under m	y jurisdicti	on and was completed on (mo	/day/year) 3/4/20/0	and	this record is tru	e to the best of my kno	wledge and belief.	
Kansas '	Water Wel	Contractor's License No	This Water W This Water W	Vell Red	cord was complet	ted on (mo/day/year)	0-10-2010	
under th	e business	name of Associated	Brilley he		y (signature)	LASILL		
INSTRUC	CTIONS: Us	e typewriter or ball point pen. <u>PLE.</u> Department of Health and Environme	ASE PRESS FIRMLY and PR.	INT clear	rly. Please fill in bla	nks, underline or circle the c	orrect answers. Send top	
785-296-5	es to Kansas 5522. Send	one to WATER WELL OWN	NER and retain one for	your re	ecords. Fee of	\$5.00 for each constructed	s 66612-1367. Telephone d well. Visit us at	
		waterwell/index.html.						