KOLAR Document ID: 1625029

	WELL R	Correction		WWC-5 ge in Well Use			on of Wate es App. N			Well ID		
		ATER WEL		Fraction			n Numbe		Township Numb		ge Number	
County:					1/4 1/4					R	$\Box E \Box W$	
						Street or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
City:			State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						ft. 5 Latitude :(decimal degrees)						
	N BOX:		Depth(s) Groundwater Encountered: 1)				8					
١	N		2) ft. 3) ft., or 4) □ □ WELL'S STATIC WATER LEVEL:									
			below land surface, measured on (mo-day-yr)						unit make/model:)	
NW	NE		y-yr)		(WAAS enabled? ☐ Yes ☐ No)							
		~	Pump test data: Well water was ft. after hours pumping gpm				□ Land Survey □ Topographic Map					
w x	E	alter	Well water was ft.				Online Mapper:					
SW	SE		after hours pumping gpn				6 Elevation:ft. Ground Level TOC					
	s		Estimated Yield:gpm Bore Hole Diameter:in. tof				Source: Land Survey GPS Topographic N					
1 r	-	Dore Hole I	in. to									
7 WELL WATER TO BE USED AS:												
1. Domestic:	1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
		7. Aquifer Recharge: well ID							Uncased Geotechnical			
	Livestock 8. Monitoring				g: well ID			herma	al: how many bores	?		
	2. Irrigation 9. Environmental Remediation: v									p Horizontal Vertical		
3. □ Feedlot □ Air Sparge 4. □ Industrial □ Recovery					oil Vapor Extraction jection			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
					· ·				,			
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft.												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.												
Nearest sou		le contaminati	on: No Lateral Line	o potential source of co			200 ft. restock Pe	ne		ide Storage		
			Cess Pool	Sewage L			el Storage			ned Water		
	ight Sewer Li			Feedyard			tilizer Sto		🗌 Oil Wel	ll/Gas Well		
Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM				HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
						_						
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No												
	usiness nam	e of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at h	ttp://www.kdhe	eks.gov/waterwel	l/index.html							KS	SA 82a-1212	