| LOCATION OF W | | Fraction | ER WELL RECORD 4 SE 1/4 SW | | on Numbe | r Township T | Number | Range Number |
|--|---|--|--|--|--|--|---|----------------------------|
| ounty: ELLS# istance and direction | n from nearest to | wn or city street | address of well if located | /4 I within city? | , , | | <u> </u> | |
| NW corner | | | 1 Hwy 40 | | | *** | | Mw- |
| WATER WELL O | | | 7 | | | Doord o | of Amrioustuma | Division of Motor Bosouro |
| R#, St. Address, B ty, State, ZIP Code | ox # : F.O. | yorth, Ks | (07/139 | | | | tion Number: | Division of Water Resource |
| I OCATE WELL'S | LOCATION WITH | DEPTH OF | COMPLETED WELL | 7.5 | # FLEV | ATION: 15 | 3 Z | |
| AN "X" IN SECTION | ON BOX: | Depth(s) Ground | dwater Encountered 1. | ,/ .4. | ft. | 2 | ft. 3 | 2/4/93 |
| NW | NE | Pum | np test data: Well water | r was | $\dots \text{ft.}$ | after | hours pu | mping gpn |
| w | i , | Bore Hole Diam | neter & in. to . | | | and | in | . toft |
| " [| 1 ! ` | _ | | 5 Public water | | 8 Air condition | • | Injection well |
| sw | - SE | 1 Domestic | | 6 Oil field water | | _ | | Other (Specify below) |
| ! | | 2 Irrigation | | | | | | |
| | <u>K</u> | mitted | bacteriological sample s | ubmilited to Def | | ater Well Disinfe | | No X |
| TYPE OF BLANK | CASING USED: | Timeca | 5 Wrought iron | 8 Concret | | | | d Clamped |
| Steel \$5 | 3 RMP (S | SR) | 6 Asbestos-Cement | 9 Other (s | specify belo | | | ed |
| 2 PVC | 4 ABS | | 7 Fiberglass | | | | Threa | aded 💢 |
| ank casing diamete | er Ž | . jn. to | ft., Dia | | | | | |
| sing neight above | land surface | · 7.9 · · · · · · · · · | in., weight | | lbs | s./ft. Wall thickne | ss or gauge N | o. 1 304. |
| PE OF SCREEN | OR PERFORATIO | | | 7 PVC | ; | | Asbestos-ceme | |
| 1 Steel | 3 Stainles | ss steel | 5 Fiberglass | 8 RMF | P (SR) | 11 (| Other (specify) | |
| 2 Brass | 4 Galvani | | 6 Concrete tile | 9 ABS | ; | | None used (op | · |
| | ORATION OPENIN | | ^ | d wrapped | | 8 Saw cut | | 11 None (open hole) |
| 1 Continuous s | - | Mill slot | € Wire v | * * | | 9 Drilled hole | | |
| 2 Louvered shu | | Key punched | 7. 7 Torch | ^{cut} /7.5 | | 10 Other (spe | cify) | oft |
| HEEN-PERFORA | TED INTERVALS: | : From | ₹.•. ₹ ft. to | | | | | ο |
| | | _ | | · · · · · · · · · · · · · · · · · · · | | | | |
| ODAVEL B | AOK INTERVALO | From | . <u>.</u> ft. to | | ft., Fr | om | ft. t | o |
| GRAVEL P | ACK INTERVALS | : From | 5.5 ft. to | | ft., Fr | om | ft. t | o |
| | | From From | 5.5 ft. to ft. to ft. to | 17.5 | ft., Fr ft., Fr ft., Fr | om | ft. t ft. t ft. t | o |
| GROUT MATERIA | AL: Weat | From cement | 5.5 ft. to ft. to ft. to ft. to | /7.5 | ft., Fr ft., Fr ft., Fr | om | ft. t | o |
| GROUT MATERIA | AL: CONeat | From cement ft. to 3.5 | 5.5 ft. to ft. to ft. to | 17.5 | ft., Fr | om | ft. t | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest | AL: Neat or on | From cement ft. to | ft. to ft. to ft. to 2 Cement grout ft., From 3. | /7.5 | tt., Fr ft., Fr ft., Fr ite o | om om the contract of the cont | ft. 1 | o |
| GROUT MATERIA | Neat on | From cement ft. to | ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy | 5 3 Benton | ft., Fr ft., Fr ft., Fr ite o | om om the storage | ft. 1 ft. 1 | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines | AL: Neat or on | From cement ft to 3.5 e contamination: eral lines s pool | ft. to ft. to ft. to 2 Cement grout ft., From 3. | 5 3 Benton | ft., Fr ft., Fr ft., Fr iite 10 Live 11 Fue 12 Fer | om om the contract of the cont | ft. 1 ft. 1 | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se | Neat Neat Source of possible 4 Late 5 Cest | From cement ft to 3.5 e contamination: eral lines s pool | ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago | 5 3 Benton | 10 Live 12 Ferd 13 Inse | om om Other ft., From estock pens I storage | ft. 1 ft. 1 | o |
| GROUT MATERIA Dut Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO | source of possible 4 Late 5 Cess ewer lines 6 See | From From cement ft to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard | 5 3 Benton | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | ft. 1 ft. 1 | o |
| GROUT MATERIA out Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 7 | source of possible 4 Late 5 Cess ewer lines 6 See | From cement ft to 3.5 e contamination: eral lines s pool page pit LITHOLOGIC | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 Z 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA tut Intervals: Fr at is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO Z 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From cement ft to 3.5 e contamination: eral lines s pool page pit LITHOLOGIC | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA tut Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 Z 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA but Intervals: Fr tat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA but Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA but Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA but Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 2 17 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. privy Sewage lago Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA out Intervals: Fr hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. privy Sewage lago Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA rout Intervals: Fr hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. privy Sewage lago Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA out Intervals: Fr hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | AL: ONeat rom O Source of possible 4 Late 5 Cessewer lines 6 Seep National Selfy | From From Cement ft. to 3.5 e contamination: eral lines s pool page pit | ft. to ft. privy Sewage lago Feedyard LOG | 5 3 Benton ft. to | 10 Live 12 Ferd 13 Inse | om om 1_Other ft., From estock pens I storage dilizer storage ecticide storage | 14 A 15 C | o |
| GROUT MATERIA rout Intervals: Fr hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? FROM TO O Z I7 I7.5 | Sulfy Sand | From Cement It to | ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft., from ft., | 5 3 Benton ft. to | 10 Live 11 Fue 12 Fert 13 Inse How m | om 1 Other 1 Storage illizer storage ecticide storage any feet? | 14 A 15 C 16 C | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 2 17 7 17.5 | Sulfy Sand Cloy- SOR LANDOWN | From From Cernent ft. to 3.5 e contamination: eral lines s pool page pit LITHOLOGIC TOAM FINE FOR FINE FINE FOR FINE | ft. to ft. privy Sewage lago Feedyard LOG | 5 3 Benton ft. to | 10 Live 11 Fue 12 Fent 13 Inse How m TO | om 1 Other 1 Storage coticide storage any feet? | ft. | o |
| GROUT MATERIA put Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO 2 17 7 17.5 | Sulfy Sand Cloy- SOR LANDOWN | From From Cernent ft. to 3.5 e contamination: eral lines s pool page pit LITHOLOGIC TOAM FINE FOR LITHOLOGIC TOAM FINE | ft. to ft. | S 3 Benton ft. to | 10 Live 11 Fue 12 Fent 13 Inse How m TO | om 1 Other 1 Storage Istorage Istorage Istorage Introduction of the storage Introduction of the storage Istorage Introduction of the storage Introduc | ft. | o |
| GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? ROM TO Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z | Sulfy Sand Cloy- Source of possible 4 Late 5 Cess Ever lines 6 See Na Sulfy Sand Cloy- GOR LANDOWNE By/year) Dr's License No. | From From Cernent ft. to 3.5 e contamination: eral lines s pool page pit LITHOLOGIC TOAM FINE FOR LITHOLOGIC TOAM FINE | ft. to 7 Pit privy 8 Sewage lago 9 Feedyard LOG MED, d | S 3 Benton ft. to | 10 Live 11 Fue 12 Fent 13 Inse How m TO | constructed, or feed on (mo/d fur) | ft. 1 | o |
| GROUT MATERIA but Intervals: Fr hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO | Source of possible 4 Late 5 Cess ewer lines 6 See Na Sulfy SAND Cloy - I OR LANDOWNE ay/year) or's License No. name of typewriter or ball point | From From Cement ft. to 3.3 Ce contamination: Frail lines S pool page pit LITHOLOGIC LOAM FINE FORCE FINE FORCE FINE FORCE PRISS CERTIFICAT JOZ Pen. PLEASE PRESS | ft. to ft. privy ft., From ft., This water well water firmuly and ft. Firmula private of the firmula private of the ft. This water well water firmula private of the ft. to ft. This water well water from ft. | FROM FROM Sometimes of the second s | ted, (2) recard this recompleted by (sign | constructed, predict the correct alsweet to come. | FLUGGING I | o |
| GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO | Source of possible 4 Late 5 Cess ewer lines 6 See Na Sulfy SAND Cloy - I OR LANDOWNE ay/year) or's License No. name of typewriter or ball point | From From Cement ft. to 3.3 Ce contamination: Frail lines S pool page pit LITHOLOGIC LOAM FINE FORCE FINE FORCE FINE FORCE PRISS CERTIFICAT JOZ Pen. PLEASE PRESS | ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft., From 7 Pit privy 8 Sewage lago 9 Feedyard LOG LOG TION: This water well wa | FROM FROM Sometimes of the second s | ted, (2) recard this recompleted by (sign | constructed, predict the correct alsweet to come. | FLUGGING I | o |