			WELL RECORD	Form WV			Niversia en	Dance N	
1 LOCATION OF WAT County: Elision		Fraction	SE 14	SW 14	Section Number	T (5		Range N	umber •W
Distance and direction					itv?	1 1-2	<u> </u>		
NW Corner	Chata.	Least & L	less of well it loca	aled William C	ity:			MW-	ا سی
	OF SIMILE	S, FUC.	rong 40						
2 WATER WELL OW	8.0.	1 4 6					A • 11 - 1	D: :-:	
RR#, St. Address, Box		,	1-1170				•	Division of Wate	r Resources
City, State, ZIP Code	EUSWE	orth, as	67439	12		Application	on Number:		
J LOCATE WELL'S LO AN "X" IN SECTION	CATION WITH 4	DEPTH OF CO	MPLETED WELL.	10,	ft. ELEV	ATION: 🚰	0.00		
AN "X" IN SECTION								/ /	
ī	ı Wı	ELL'S STATIC V	WATER LEVEL	/	ft. below land su	urface measured of	on mo/day/yr	44173	?
1 1	•		test data: Well w					` '	gpm
NW	NE Es	st. Yield	gpm: Well w	ater was	ft.	after	. hours pu	imping	gpm
			er 8 in				-		
* w 1	E	ELL WATER TO			water supply	8 Air conditionin		Injection well	
- i	""	1 Domestic	3 Feedlot			9 Dewatering	-	•	helow)
SW	SE	2 Irrigation	4 Industrial			10 Monitoring w			
	!				-		Y		
<u> </u>			acteriological sample	ie submitted					Was sub-
<u>-</u> s		tted				ater Well Disinfec		No No	
5 TYPE OF BLANK C			5 Wrought iron		oncrete tile			d Clamp . .	
1)Steel \$\$	3 RMP (SR)		6 Asbestos-Ceme	nt 9 O	ther (specify belo	ow)		led	
2 PVC	4 ABS		Z Fiberglass					aded🔨	
Blank casing diameter	 i <u>n</u> .,	to	🖸 ft., Dia	it	n. to	ft., Dia		in. to	ft.
Casing height above la	nd surface) ()ii	n., weight		Ibs	./ft. Wall thickness	or gauge N	lo . 50.4	
TYPE OF SCREEN OF	R PERFORATION M	MATERIAL:		7	PVC	10 As	sbestos-ceme	ent	
1 Steel	3 stainless st	teel	5 Fiberglass	8	RMP (SR)	11 O	ther (specify)	1	
2 Brass	4 Galvanized	steel	6 Concrete tile	g	ABS	12 No	one used (op	en hole)	
SCREEN OR PERFOR	ATION OPENINGS	ARE:	5 Ga	uzed wrappe	ed	8 Saw cut	` .	11 None (ope	n hole)
1 Continuous slot 3 Mill slot			6 Wire wrapped			9 Drilled holes	•	\·-	,
2 Louvered shutte)	40.04	•• \		
SCREEN-PERFORATE		From	7 10 5 ft. to	········/ 8	, 4 E.	om		· · · · · · · · · · · · · · · · · · ·	4
SUREEN-PERFURATE	D INTERVALS.								
0541/51 544		From	ft. to	/ <i>8</i> /	π., Fr	om	π. τ	(0	π.
GHAVEL PAG	CK INTERVALS:		? ft. to			om			
	<u> </u>	From	ft. to		ft., Fr	· · · · ·	ft. t	·	ft.
6 GROUT MATERIAL	Neat cerr	nent 7 2	Cement grout	7-3		Other			
Grout Intervals: From	n	to	ft., From		ft. to	ft., From .		ft. to	
What is the nearest so	urce of possible cor	ntamination:			10 Live	stock pens	14 A	bandoned wate	r well
 Septic tank 	4 Lateral li	ines	7 Pit privy		11 Fue	l storage	15 C	oil well/Gas well	
2 Sewer lines 5 Cess pool		ool	8 Sewage I	8 Sewage lagoon 12 F		ilizer storage	16 C	other (specify be	low)
3 Watertight sewer lines 6 Seepage pit			9 Feedyard	9 Feedyard 13 Insecticide storage					
Direction from well?	U-Ap				How m	any feet?			
FROM TO		LITHOLOGIC LO	OG _	FRO	м то	F	PLUGGING I	NTERVALS	
0 1	Full san	d tari	epel.						
1 16.5	Sand-Fin	i to me	d. brn-ye	low	•				
16.5 17	Shall-	arm.	alty						
		100	7						
						1			
									
-									
							SIAL		
							OFT	GEZ/	
						1,5	CHIR. MIT	//0/	
1 1					L	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	CAL DO IN	10/3	
7 CONTRACTOR'S C	R LANDOWNER'S	CERTIFICATIO	N: This water well	was (1) cor			plugged and		on and was
completed on (mo/day/	year)	7. 7			and this rec	ord is true to the b	est of my kn	owledge and be	ilief. Kansas
Water Well Contractor's			This Water	Well Record	d was completed	on (mo/day)	WP5U	77,774	
under the business nar	/ 4	1 bu	•		by (sign	ature)	Ka M	Welfell	
	pewriter or ball poin pen.	PLEASE PRESS FIR	MLY and PRINT clearly	Please fill in his			Send to Se	copies to Kanas D	epartment
of Health and Environme	ent, Bureau of Water, Top	oeka, Kansas 66620-0	0001. Telephone: 913-29	96-5545. Send o	ne to WATER WELL	OWNER and retain one	for your records	/ /	,
					· · · · · · · · · · · · · · · · · · ·		MIN	40	
						7	- LJ (*) 1	. ~	