WATE	R WELI	L RECORD	Form W	WC-5	Div	vision of Wate	er Resources App. N		
		F WATER WELL:	Fraction		Sectio	n Number		Range Number	
Cou	nty: Ellsw	orth	1/4 SW 1/4 NE	1/4 SE 1/4		36	T 15 S	R 8 DE ZW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here 🔽. Latitude:								(in decimal degrees)	
318 S. Kansas, Kanopolis						Longitude: (in decimal degrees)			
010	o. Ranoc	io, ranopono			Elevation:				
2 33/4	TED WE	I OWNED. D. C.	N					J NAD 27	
2 WATER WELL OWNER: Dustin Curnutt RR#, Street Address, Box #: P.O. Box 352					Collection Method:				
C' C C C C C				Digital Map/Photo, Topographic Map, Land Survey					
City	, 0000, 211	. Kanopo	lis, Ks. 67454		Est. Ac	ccuracy:	<3 m, 3-5 m, 5] 5-15 m,	
2 LOCATE WELL									
WIT	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SEC	Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVEL								
		Pump	test data: Well wate	er was	tt.	atter	nours pun	nping gpm	
N	w NE	""	Agpm. Well wate	r was 50	tt.	after	nours pur	nping gpm	
W		E Bore Hole Diam	eter 10 in. to	Deale Lie was a	ft., and	in	athernal \square	Injection well	
		1 1 — .	TO BE USED AS:	J Public war	er suppi	у П О	evertering .	Other (Specify below)	
S'	SWSE Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
Water well disinfected?									
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other									
Casing diameter .5 in. to .50 ft., Diameter ft., Diameter ft.									
Casing height above land surface. 18. in., Weight SDR-26. lbs./ft., Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot									
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)									
SCRE	DIN-L DIVING	MATED INTERVALS.	From	ft to		ft From .	ft	. to fi	
	GRAVE	L PACK INTERVALS:	From 50	ft. to . 18		ft From .	ft	to f	
	010112		From	ft. to		ft., From .	ft	. to f	
6 GRO	OUT MAT	ERIAL: Neat cem	ent	t 🗹 Bento	nite [Other			
Grout I	ntervals:	From ft. to	ft., Fron	ı .18	ft. to .0	ft.	, From	ft. toft	
		t source of possible cont				_			
	Septic tan		nes Pit privy	Livestock		Insecticid	_	ther (specify below)	
	Sewer line	s Cesspool	Sewage lagoon	☐ Fuel storag ☐ Fertilizer s	p- 1	☐ Abandone☐ Oil well/g	11	use	
		u ⊏oot	oit Feedyard	D			545 11011		
FROM		LITHOLOG	HC LOG	FROM	TO			UGGING INTERVAL	
0		Top soil	100	111111					
2		Tan clav						4 10000	
5		Sand & gravel- med/ lo	ose/flat rock						
29		Gray shale with streak							
		pyrite	***************************************						
								,,,,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .9-16-1.1									
Kansas	Water We	Il Contractor's License N	lo134 This '	Water Well F	Record w	as complete	d on (mo/day/yea	r) .10-6-11	
under t	he business	name ofRosencrant	z- Bemis	V I DDD 777	by (s	ignature)	to and shoot the	act oneswers Sand these	
INSTRU	JCTIONS: U	se typewriter or ball point per Kansas Department of Health	and Environment Bureau	<u>r</u> and <u>PRINT</u> cl of Water Geo	earry. Plea logy Section	ase IIII in blant on. 1000 SW I	ks and check the corr ackson St., Suite 420	ect answers. Send inree cop , Topeka, Kansas 66612-13	
Telephor	ne 785-296-5	Send one copy to WAT	TER WELL OWNER and	retain one for	your recor	ds. Include f	ee of \$5.00 for each	constructed well. Visit us	
http://wv	vw.kdheks.go	v/waterwell/index.html.							
KSA 82	a-1212				Ch	ieck: 🔀 W	/hite Copy, 🔲 E	Blue Copy, 🔲 Pink Co	