WATER	R WEL	L RECORD	Form WV	VC-5	Divisi	on of Water	r Resources App. No).	
		OF WATER WELL:	Fraction		Section 1		Township No.	Range Number	
	y: Ellsv				Clabal D		T 15 S	R 8 DE VW	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
	1/2W of Ellsworth, KS				Longitude:				
1/2.0	1/24V Of Elloworth, 110					Elevation:			
2 WATER WELL OWNER: Donald Soukup					Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 139 15th St.					GPS unit (Make/Model:)				
CI. C. STEP C 1			h, KS 67439	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
2 100	TE WE			Est. Accu	ıracy: 🔲 <	3 m, <u></u> 3-5 m, <u></u>	5-15 m, ∐ >15 m		
		N "X" IN 4 DEPTH OF COMPLETED WELL 146							
SECT	TON BO	OX: Depth(s) Groundwater Encountered (1).115							
	N WELL'S STATIC WATER LEVEL. 115								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
w NW									
``									
S W	SI	☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	s If yes, mo/day/yr sample was submitted								
mile Water well disinfected?									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter 5 in. to									
Casing height above land surface. 12									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Forch cut ☐ Drifted noiss ☐ None (open fore) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 126 ft. to 146 ft., From ft., from ft. to ft.									
From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .0									
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines									
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well shed									
Direction from well Southwest Distance from well .57. FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVAL								ICCINC INTERVALS	
FROM 0	TO 1	top soil	IIC LUG	FROM	TO 1	LITTO, L	OG (cont.) of FLA	JOURNA INTERVALS	
1	12	clay							
12	32	fine sand and gravel							
32	130	shale						AND STORY OF THE PROPERTY OF T	
130	140	sand rock	W						
140	146	shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\begin{align*} \sqrt{2} \) constructed, \(\begin{align*} \sqrt{2} \) reconstructed, or \(\begin{align*} \sqrt{2} \) plugged									
under my jurisdiction and was completed on (mo/day/year) .10/01/13 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year) .10/07/13									
under the business name of Kelly's Water Well Service, Inc. by (signature) Kathum X Stord									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									