WATER WEI	LL RECORD	Form W	WC-5	Division of W	ater Resources App. N	10.	
	OF WATER WELL:	Fraction		Section Number		Range Number	
County: Ells		The second secon	1/4 SW 1/4		T 15 S	the same of the sa	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
		owner's address, check		Latitude: (in decimal degrees)			
1/4 North of Ellsworth				Longitude:			
				Datum: WG	S 84, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: John Mulhagen				Collection Method:			
RR#, Street Address, Box #: 2445 10th Road City, State, ZIP Code : Lorraino KS 67450				GPS unit (Make/Model:)			
City, State, ZIP Code : Lorraine. KS 67459				Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <a>3 m, 3-5 m, 5-15 m, >15 m			
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 142 ft.							
SECTION BO	TION BOX: Depth(s) Groundwater Encountered (1)						
Pump test data: Well water was							
EST. YIELD. N/Agpm. Well water was							
W Bore Hole Diameter 10							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? \[\vec{\sqrt{Y}} \] Yes \[\sqrt{No} \]							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 5 in, to 142 ft. Diameter in, to ft. Diameter ft. Diameter ft.							
Casing height above land surface18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
From ft to ft From ft to ft							
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination: Septic tank Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well House							
FROM TO	m well East LITHOLOG	TICI OC		from well50ft		IICCINC INTERMATO	
0 2	Top soil	IIC LOU	FROM	TO LITHO	LOG (cont.) or PL	UGGING INTERVALS	
2 8	Brown clay						
8 50	Sand & gravel						
50 55	Hard rock					The second secon	
55 97	Fire clay						
97 111	Sand stone & shale						
111 117	Gray shale						
117 124 124 142	Sand stone & shale						
124 142	Gray shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .8-20-14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 9-18-14							
under the business name of Rosencrantz-Bemis Ent Inc by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy							