		WAIE	WELL RECORD	Form WWC	2-5 KSA 82a	-1212			
OCATION OF W Ellswo		Fraction NW	NE , NW	1	Section Number 21	1 17	5	Range I	Number
inty:		1/4				T 1	<u> </u>	R OW	E/W
	on from nearest town	or city street ac	dress of well if locat	ed within city	?				
In Ellswor	rth, Kansas								
WATER WELL O	******	Conally							
#, St. Address, E	30x # : 502 No	ovak				Board of	of Agriculture, I	Division of Wa	ter Resourc
	E11 cr.rc	orth, Kans	sas 67439			Applica	tion Number:		
OCATE WELL'S	LOCATION WITH 4	DEPTH OF CO	MADI ETED MELL	143	# ELEVA	TION: Unl	cnown		
N "X" IN SECTI	ON BOX:	DEFIN OF CO	vater Encountered	. 125	II. ELEVA				
C O	N DE	spiri(s) Groundy	WATER LEVEL	125.	ft. 2			9/13/	/94 · · · · π.
(X	1 ! \w								
NW	NE	Pump	test data: Well wa	ter was	ft. at	fter	hours pu	mping	gpr
1	Es	st. Yield	gpm; Well wa	ter was	ft. af	fter	hours pu	mping	gpr
w L 1	₽ Bo	ore Hole Diame	ter . 7 . 7 / 8 in. to	143		and	in	. to	
w i			O BE USED AS:			8 Air condition			
1 1		1 Domestic	3 Feedlot	6 Oil field v	water supply	9 Dewatering	12	Other (Specify	below)
SW	- SE	2 Irrigation	4 Industrial		d garden only				
1 !	I I I w	•	acteriological sample						
<u> </u>		itted	acteriological sample	Submitted to		ter Well Disinfe	-	• •	Hpie was su
2/55 05 51 4111		itteu	<i>5</i> 144						
	CASING USED:		5 Wrought iron		crete tile		JOINTS: Glued		•
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Othe	er (specify below	v)		ed	
2 PVC	4 ABS		7 Fiberglass					aded	
	er5 in.								
ing height above	land surface	1.2	in., weight 2.	8 <i>.</i>	Ibs./1	ft. Wall thicknes	ss or gauge N	o S.c	h. 40
	OR PERFORATION N				PVC		Asbestos-ceme		
1 Steel	3 Stainless st	eel	5 Fiberglass	8.6	RMP (SR)	11 (Other (specify)		
2 Brass	4 Galvanized		6 Concrete tile		ABS		None used (op		
	ORATION OPENINGS							•	
				zed wrapped		8 Saw cut		11 None (op	en noie)
1 Continuous s				wrapped		9 Drilled hole			
2 Louvered shi	, ,		7 Toro			10 Other (spe			
REEN-PERFORA	TED INTERVALS:	From	83 ft. to .	1.43	ft., Fror	n , , , , , ,	ft. t	O	
			ft. to .						
GRAVEL F	ACK INTERVALS:	From	20 ft. to .	143	ft., Fror	n <i>.</i>	ft. t	0	
		From	ft. to		ft., Fron	n	ft. t	0	f
GROUT MATERIA	AL: 1 Neat cerr	nent 2	2 Cement grout		ntonite 4	Other			
ut Intervals: Fr	rom 0 ft.				to	ft. From		ft to	fr
	source of possible cor		,			tock pens		bandoned wat	
1 Septic tank	4 Lateral li		7 Pit privy					il well/Gas we	
					11 Fuel s	•			
2 Sewer lines	5 Cess po		8 Sewage la	goon		zer storage	16 O	ther (specify b	elow)
3 Watertight se		e pit	9 Feedyard		13 Insect	ticide storage	<u></u>	• • • • • • • • •	
ction from well?	East				How mar	ny feet?	75		
OM TO		LITHOLOGIC L	.OG	FROM	TO		PLUGGING II	NTERVALS	
0 80	Top soil and	· · · · · · · · · · · · · · · · · · ·							
80 143	Sand rock wi	ith clay s	streaks						
	1				· · · · · · - · - · - · - · - · - · - ·				
					1				
									· · · · · · · · · · · · · · · · ·
					+				
	1								
	OR LANDOWNER'S		ON: This water well v	was (1) const	tructed, (2) reco	nstructed, or (3	B) plugged und	ler my jurisdic	tion and wa
	ay/year) 9/13/9					rd is true to the			
			This Water \	Well Record			9/15/	1	
the business r			Vell Service,		by (signat	/)	Sec	D
								~~~	a c
	typewriter or ball point pen.		<u>PMLY</u> and <u>PRINT</u> clearly. P -0001. Telephone: 913-296						Department