


1 LOCATION OF WATER WELL: Fraction SW 1/4 NW 1/4 NW 1/4 Section Number 32 Township Number T 16 S Range Number R 12 E
 County: Barton

Distance and direction from nearest town or city street address of well if located within city?
1 mi West of Beaver 1 1/2 mi South East into

2 WATER WELL OWNER: Cecil Charles
 RR#, St. Address, Box # :
 City, State, ZIP Code :
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 220 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 210 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 180 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 220 ft. after 2 hours pumping 20 gpm
 Est. Yield 20 gpm Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial X Domestic (lawn & garden) 10 Monitoring well 9 Dewatering 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yrs sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
X PVC 4 ABS 7 Fiberglass Welded
 Blank casing diameter 5 in. to 200 ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface 16 in., weight Scd 60 lbs./ft. Wall thickness or gauge No. SAR 21
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify)
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot X Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 200 ft. to 220 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 180 ft. to 220 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout X Bentonite 4 Other
 Grout Intervals: From 180 ft. to 160 ft., From 20 ft. to 0 ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet?

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|--------------------|------|----|--------------------|
| 0 | 1 | Soil | | | |
| 1 | 75 | Yellow Clay | | | |
| 75 | 120 | Black Shale | | | |
| 120 | 180 | Blue Shale | | | |
| 180 | 200 | White & Blue Shale | | | |
| 200 | 210 | White Shale | | | |
| 210 | 215 | Light Brown Sand | | | |
| 215 | 220 | Blue Shale | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-1-03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 660 This Water Well Record was completed on (mo/day/yr) 5-2-03 under the business name of Goodman Water Well Drilling by (signature) [Signature]