WATER WELL RECORD Form WWC			WC-5	Division of Wate	r Resources App. No). L		
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
			SW 1/4 SW 1/4 SW			T 16 S		
Stree	t/Rural A	Address of Well Location;	if unknown, distance d	Global Positioning				
from nearest town or intersection: If at owner's address, check here .					Latitude:			
3309 Ave, G. Bison, Ks					Elevation: (in decimal degrees)			
2 WATER WELL OWNER: Arlyn Thelenhaus					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
The state of the s					Collection Method: GPS unit (Make/Model:)			
C'A CA ZID C 1					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Great Bend, No 07330					Est. Accuracy:			
3 LOCATE WELL								
WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 399 ft. C2).346 ft. (2).346 ft. (3)							2) A	
SEC	N WELL'S STATIC WATER LEVEL 135							
	Pump test data: Well water wasft. after hours pumping							
NV	EST. YIELD. 10gpm. Well water was							
w	W E Bore Hole Diameter 10in. toft., andin. toft.							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
1 1 4	SW SE							
X	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
I mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5								
Casing height above land surface. 24 in., Weight 3.53 lbs./ft., Wall thickness or gauge No17								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From380								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 380 ft. to 40 ft., From 40 ft. to .9 ft., From .ft. to .ft. ft. ft. ft. ft. ft. ft. ft. ft. ft								
	Septic ta	nk 🔲 Lateral lir	es 🗌 Pit privy	Livestock	pens 🔲 Insecticide	storage Othe	er (specify below)	
	Sewer lin			Fuel storag				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well								
FROM	TO	LITHOLOG		FROM			GGING INTERVALS	
0	3	Top Soil	.0.200	1110	10 21110.2	JG (Cont.) Or 1 DO	GGII G II I I I I I I I I I I I I I I I	
4	17	Clays						
18	170	Shale						
170	195	White Clay						
195	210	White clay w/layers of						
210 238	238 250	Red & White clays White clay						
250	345	Red clay		 				
345	369	Sand Rock Layers						
369	380	Shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under m	y jurisdi	ction and was completed o	n (mo/day/year) .04/1	.7/ <u>14a</u>	nd this record is true t	to the best of my ki	nowledge and belief.	
Kansas	Water W	ell Contractor's License N	o0199 This \	Water Well R	ecord was completed	on (mo/day/year)	05/05/14	
under th	e busine	ss name ofKarst Water Use typewriter or ball point per	PLEASE PRESS EIDAN	Yand PRINT A	by (signature)	and check the correct	angette and and and are	
	Kansas Do	epartment of Health and Environ	nent, Bureau of Water, Geo	logy Section, 1	000 SW Jackson St., Suite	e 420, Topeka, Kansas	66612-1367.	
Telephor	ne 785-296	5-5524. Send one copy to WATE	ER WELL OWNER and retain	ain one for your	records. Include fee of \$	5.00 for each construct	ed well. Visit us at	

http://www.kdbeks.gov/waterwell/index.html