


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Saline	Township name Liberty	Fraction SE $\frac{1}{4}$, NE $\frac{1}{4}$	Section number 9	Town number T - 16 - S	Range number R - 2 - W
Distance and direction from nearest town or city: 2 miles East and $\frac{1}{2}$ South of Assaria Street address of well location if in city:				3 Owner of well: Fred Cox Address: Assaria, Kansas 67416		
Locate with "X" in section below: 				Sketch map: ADD		
2				4 Well depth: 32 ft. Date of completion 9/24/75 Well diameter 8 in.		
Type and color of material				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
From				6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well		
To				7 Casing: Material PVC Height above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. Diam. 5 in. to 32 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 5 in. to 32 ft. depth		
Clay				8 Screen: Manufacturer Western Plastics Type PVC Dia. 5" Slat/gauze 3/32 Length 6' Set between 16 ft. and 22 ft. Fittings: 1/16 to 3/8 Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material		
Clay with gravel (loss of water)				9 Static water level: 10 ft. below land surface Date 9/24/75		
Gravel				10 Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 10 g.p.m.		
Fine sand				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
Clay				12 Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade		
Sand and clay				13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite 10 Depth: From 0 ft. to 10 ft.		
				14 Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Reda Model number HP 1/2 Volts 220 Length of drop pipe 28 ft. capacity 10 g.m.p. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(use a second sheet if needed)						
16 Remarks: elevation Topography: Well is located in pasture approx. 1,000' from house. <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rader Drilling Co. 194 Business name License No. 67429 Address Carlton, Kansas Signed Ernest E. Rader Date 11-19 Authorized representative		

16
2 W
9 SE SE NE