

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: NESS		NW 1/4 NE 1/4 NE 1/4		16		T 16 S		R 22 EW	
Distance and direction from nearest town or city street address of well if located within city? 2 Miles North of BROWNELL KS									
2 WATER WELL OWNER: FARMLAND ACT AUCTION									
RR#, St. Address, Box # : 2702 BROADWAY Board of Agriculture, Division of Water Resources									
City, State, ZIP Code : HAYS KS 67601 Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 45 ft. ELEVATION:						
			Depth(s) Groundwater Encountered 1. 35 ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr 11-11-99						
			Pump test data: Well water was ft. after hours pumping gpm						
			Est. Yield 20 gpm: Well water was ft. after hours pumping gpm						
			Bore Hole Diameter 10 in. to 45 ft., and in. to ft.						
			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
			XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
			Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted						
			Water Well Disinfected? Yes No XX						
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped									
XX PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: XX PVC 10 Asbestos-cement									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot XX Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 25 ft. to 45 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 25 ft. to 45 ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout XX Bentonite 4 Other									
Grout Intervals: From 0 ft. to 25 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS				
0	8	SURFACE CLAY							
8	12	GRAY CLAY							
12	30	HARD WHITE LIMESTONE							
30	40	MED SAND							
40	45	GRAY SHALE							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-11-99 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 444 This Water Well Record was completed on (mo/day/yr) 11-11-99									
under the business name of ANDY ANDERSON DRILLING by (signature) Andy Anderson									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4