KOLAR Document ID: 1603828

WATER W				WWC-5			on of Wate					
Original Re		Correction		e in Well Use			ces App. N			Well ID		
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Sectio	on Number Township Num T				ge Number		
county.						Durol	T S R B W ral Address where well is located (if unknown, distance and					
2 WELLOV Business:		rection from nearest town or intersection): If at owner's address, check here:										
Address:				uncetion n								
Address:												
City: State: ZIP: 3 LOCATE WELL 4 DEDTH OF COMPLETED WELL												
WITH "X" IN 4 DEPTH OF COMPLETED WELL:						ft.	5 Latit	ude:			(decimal degrees)	
SECTION BOX. Depth(s) Groundwater Encountered: 1)							Longitude:(decimal degrees)					
2) ft. 3) WELL'S STATIC WATER LEVEL						1	Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27					
								Latitude/Longitude		``		
NW	NE	 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 										
		Pump test data: Well water was ft.				□ Land Survey □ Topographic Map					(0)	
w X	E	after hours pumping					Online Mapper:					
SW	often	Well water was ft.										
		after hours pumping gpn Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
S		Bore Hole Diameter: in. to				Source: Land Survey GPS Topographic M						
1 mile		in. to ft						Other				
7 WELL WA	ATER TO											
1. Domestic:		10. Oil Field Water Supply: lease										
		 6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID 						ble: well ID ed □ Uncased □ Geotechnical				
2. Irrigation												
3. Effective States Soil Vap												
4. \Box Industrial \Box Recovery \Box Injection							13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? \square Yes \square No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
				n ft. to								
				Cement grout B								
				ft., From					ft. to	ft.		
Nearest source			on: No Lateral Line	o potential source of con es	ntamination		n 200 ft. vestock Pe	me		cide Storage		
Sewer Lin			Cess Pool	\square Sewage La	10001		iel Storage			oned Water		
☐ Watertight				☐ Feedyard			ertilizer Sto			ll/Gas Well		
□ Other (Specify)												
	Distance from w							<u> </u>				
10 FROM	ТО	L	ITHOLOG	GIC LOG	FROM	1	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
├						+						
<u> </u>						+						
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No												
under the business name of												
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.												
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												