

1 LOCATION OF WATER WELL: Fraction NE 1/4 SW 1/4 SE 1/4 Section Number 4 Township Number T 16 S Range Number R 24 EW  
 County: Ness  
 Distance and direction from nearest town or city street address of well if located within city? 2 W on Hiway # 4 3 1/2 N 1/4 W

2 WATER WELL OWNER: Albert Albers  
 RR#, St. Address, Box #: Ransom Kansas 67572  
 City, State, ZIP Code: Ransom Kansas 67572  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 86 ft. ELEVATION: 2-28-89  
 Depth(s) Groundwater Encountered 1. 71 ft. 2. 71 ft. 3. 71 ft.  
 WELL'S STATIC WATER LEVEL 71 ft. below land surface measured on mo/day/yr 2-28-89  
 Pump test data: Well water was 71 ft. after 2 hours pumping 28 gpm  
 Est. Yield 28 gpm: Well water was 71 ft. after 2 hours pumping 28 gpm  
 Bore Hole Diameter 8 in. to 8 in. and 8 in. to 8 in.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well LIVESTOCK  
 Was a chemical/bacteriological sample submitted to Department? Yes ✓ No ✓; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes ✓ No ✓

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ✓ Clamped ✓  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded ✓  
 Blank casing diameter 5 in. to 5 in. Dia. 5 in. to 5 in. Dia. 5 in. to 5 in. Dia. 5 in. to 5 in. Dia.  
 Casing height above land surface 1.8 in. weight 1.8 lbs./ft. Wall thickness or gauge No. Sch 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 12 None used (open hole)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft.  
 GRAVEL PACK INTERVALS: From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft.  
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage  
 Direction from well? 1/4 mile Southeast  
 How many feet? 1000' SE

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	15	Soil			
15	71	Clay w/ fine sand layers			
71	85	Sand med to fine			
85	86	Shale yellow to Blue			

**RECEIVED**  
 MAY 8 1989  
 DIVISION OF ENVIRONMENT

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-28-89 and this record is true to the best of my knowledge and belief. Kansas  
 Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/yr) 12-28-88  
 under the business name of Agua Drilling Inc. by (signature) J M Jett

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4