WATE	R WEI	LL RECORD	Form W	WC-5	Division of Wat	er Resources App. No	o.
		OF WATER WELL:	Fraction		Section Number		Range Number
Cour	nty: Nes	S	1/4 SW 1/4 SE		25	T 16 S	R 24 □E ☑W
Stree	t/Rural A	ddress of Well Location;	f unknown, distance &	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
MW #9 Ransom Coop					Longitude: (in decimal degrees)		
					Elevation:		
2 WATER WELL OWNER: Garden City Coop					Datum: 💋 WGS 84, 🗌 NAD 83, 🗌 NAD 27		
					Collection Method:		
					Digital Map/Photo, Topographic Map, Land Survey		
City	, State, Z	Garden	City, KS 67846	Est. Accuracy: $\square <3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}, \square >15 \text{ m}$			
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL <u>67</u> .							
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft							
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr   Pump test data: Well water wasft. after hours pumping							
$W = \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} B \\ B$							
WELL WATER TO BE USED AS: Dublic water supply Geothermal Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Industrial 🔲 Domestic-lawn & garden 🗶 Monitoring well							
Was a chemical/bacteriological sample submitted to Department? [] Yes [] No							
S If yes, mo/day/yr sample was submitted							
		Water well disin	fected? 🗌 Yes 🔽	NO			
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: 🔲 Glued 📋 Clamped 🔲 Welded 🗹 Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.,							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel I PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From .53 ft. to .0 ft., From ft. to ft. to ft., From ft. to							
What is the nearest source of possible contamination:							
🗌 Septic tank 👘 Lateral lines 🛄 Pit privy 🛄 Livestock pens 🛄 Insecticide storage 🔲 Other (specify below)							
	Sewer lir		Sewage lagoon				
		ht sewer lines 🔲 Seepage p n well West		Fertilizer st			••••••
FROM	TO	LITHOLOG		FROM			GGING INTERVALS
	5						GOUND INTERVALS
0	20	Fine Sand Brown Clay		┼			
5		Fine Sand		╂────┣─			
20	55	Sand Fine Sand Vallow Clay		<u> </u>			
55	65	Fine Sand/Yellow Clay	•	<u> </u>	<u>_</u>		
65	70	Brown Shale				· · · · · · · · · · · · · · · · · · ·	
				+	. <u> </u>		<u></u>
				<b>↓</b>	<u>_</u>		·····
	· · ·			<u> </u>			i da interneti da in
				┨────┤─			
			10 ODD 7777 C + 777 -		11		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗋 reconstructed, or 🗋 plugged							
under my jurisdiction and was completed on (mo/day/year) .19/25/20.11 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. <u>665</u> This Water Well Record was completed on (mo/day/year) <u>11/30/2011</u> under the business name of Pratt Well Service							
under th	e busines	ss name of		V and DDD //T -	by (signature)	MAG M	N
		Use typewriter or ball point pen o Kansas Department of Health					
		5522. Send one copy to WAT					
		ov/waterwell/index.html.					