WATER WELL RECOR	Ð	Form W	WC-5	D	ivision of Wate	r Resources App. No	, L		
1 LOCATION OF WATER WELL:		Fraction					Range Nu		
County: Ness		1/4 SW 1/4 SE			25			□E V W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
Ransom Coop #13					Elevation:				
					Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Garden City Coop					Collection Method:				
RR#, Street Address, Box #: P.O. Box 838 106 N. 6th St.					GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey				
City, State, ZIP Code : Garden City, KS 67846					Est. Accuracy: $\square <3 \text{ m}$, $\square 3-5 \text{ m}$, $\square 5-15 \text{ m}$, $\square >15 \text{ m}$				
2 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .65.									
WEI WEI	WELL S STATIC WATER LEVEL								
Pump test data: Well water wasft. after hours pumping									
W = NW - NE -									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW = SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Irrigation Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Ves V No									
S If yes, mo/day/yr sample was submitted									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded I Threaded									
Casing diameter .2 in. to .55 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface									
Steel Stainless Steel ✓ PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .53 ft. to .0 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Image Abandoned water well									
Watertight sewer lines Scepage pit Feedyard Fertilizer storage Oil well/gas well									
Direction from well .North.					ell500				
	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	DG (cont.) <u>or</u> PLU	GGING IN	TERVALS	
0 20 Brown Clay									
20 40 Compressed									
40 65 Sand Grave 65 70 Brown Shale									
65 70 Brown Shale	3								
						-11-D WA			
		au							
		······································							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖉 constructed, 🗌 reconstructed, or 🗌 plugged									
under my jurisdiction and was completed on (mo/day/year) .10/24/20.11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No665 This Water Well Record was completed on (mo/day/year) .11/30/2011 under the business name of									
under the business name of	hall point and		V and DDDDT -	by (s	signature)	Wet S. M.			
(white, blue, pink) to Kansas Departm	nent of Health	and Environment, Bureau	of Water, Geo	ogy Section	on, 1000 SW Jac	kson St., Suite 420. 1	opeka, Kans	as 66612-1367	
Telephone 785-296-5522. Send one http://www.kdheks.gov/waterwell/index	copy to WAT								