WATE	R WEI	LL RECORD	Form WWC-5	Division of Water Resources App. No.		
	CATION ity: LAN	OF WATER WELL:	Fraction  4 NW 4 NE 4 NE 4	Section Number Township No. Range Numb  T 16 S R 28   E	er E <b>⊘</b> W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)		
FRO	IHS MC	ELDS 6 MI NORTH, 2 M	EAST	Longitude: (in decimal of	degrees)	
1				Elevation:		
2 WA	TER W	ELL OWNER: CARLE	ROBERTS	Collection Method:		
RR#	, Street		JUSTANG RD	GPS unit (Make/Model:		
City	, State, Z	TD ()	ON, KS 67839-5028	Digital Map/Photo, Topographic Map, Land		
				Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15	5 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 15						
1	TTH AN "X" IN 4 DEPTH OF COMPLETED WELL .!?					
SEC	N					
		Pump	test data: Well water was	ft. after hours pumping	gpm	
l N	V N	EST. YIELD. 3.	gpm. Well water was	ft. after hours pumping		
w		E   Bore Hole Diam		t., andft.		
<del>  </del>				er supply    Geothermal    Injection well		
SW SE Domestic    Feedlot    Oil field water supply    Dewatering    Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No  If yes, mo/day/yr sample was submitted						
	1 milo		fected? 📝 Yes 🔲 No	••••••	ı	
. —						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS: M Glued Clamped Welded Threaded Casing diameter .5						
Casing height above land surface 24 in., Weight 160 lbs/ft., Wall thickness or gauge No. SDR26						
		EEN OR PERFORATION		iosaiti, wan unoknoss of gauge 110	•••••	
☐ Steel ☐ Stainless Steel						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot						
SCREEN-PERFORATED INTERVALS: From 7 ft. to 15 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From .0						
What is the nearest source of possible contamination:   Septic tank						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedvard ☐ Fertilizer storage ☐ Oil well/gas well						
		n well SOUTHWEST		from well1000'		
FROM	ТО	LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTER	RVALS	
0	2	TOPSOIL				
2	7	BROWN CLAY				
7	10	CRAY SHALE			<del></del>	
10	15	GRAY SHALE				
<b></b>	<del> </del>					
<u> </u>	<del>[ </del>		<del></del>			
<del> </del>					<del></del>	
ļ						
<b> </b>	<b>†</b>	<del> </del>		· · · · · · · · · · · · · · · · · · ·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \big  \) constructed, \( \big  \) reconstructed, or \( \big  \) plugged						
under my jurisdiction and was completed on (mo/day/year) 1/18/13 . and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mo/day/year) .1/22/2013						
under th	e busine	ss name ofAQUA PUM	P.LLC	by (signature) Vans. M. J. see M.		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
				our records. Include fee of \$5.00 for each constructed well.		
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						