


1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Saline		SW 1/4 SW 1/4 SW 1/4		2		T 16 S		R 3 RW	
Distance and direction from nearest town or city street address of well if located within city? 1/4 mile West of Assaria, KS									
2 WATER WELL OWNER: Koss Construction					Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #: 5830 S.W. Drury Lane					Application Number: 2001-9002				
City, State, ZIP Code: Topeka, KS 66604									
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL		78		ft. ELEVATION:		2-01-050	
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered		1		ft. 2		ft. 3	
		WELL'S STATIC WATER LEVEL		12		ft. below land surface measured on mo/day/yr		3/29/01	
		Pump test data: Well water was				ft. after		hours pumping	
		Est. Yield		300-400		gpm: Well water was		ft. after	
		Bore Hole Diameter		12		in. to		78	
		WELL WATER TO BE USED AS:		5 Public water supply		8 Air conditioning		11 Injection well	
		1 Domestic		3 Feedlot		6 Oil field water supply		9 Dewatering	
		2 Irrigation		4 Industrial		7 Domestic (lawn & garden)		10 Monitoring well	
								Construction/term permit	
		Was a chemical/bacteriological sample submitted to Department? Yes		No		X		; If yes, mo/day/yr sample was submitted	
		Water Well Disinfected? Yes		X		No			
5 TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued		X	
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (specify below)		Welded	
X PVC		4 ABS		7 Fiberglass				Threaded	
Blank casing diameter		8		in. to		58		ft., Dia	
Casing height above land surface		12		in., weight		5.72		lbs./ft. Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:		X PVC		10 Asbestos-cement					
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		11 Other (specify)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)			
1 Continuous slot		X Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From		58		ft. to		78		ft.	
GRAVEL PACK INTERVALS: From		23		ft. to		78		ft.	
6 GROUT MATERIAL:		1 Neat cement		2 Cement grout		X Bentonite		4 Other	
Grout Intervals: From		2		ft. to		23		ft.	
What is the nearest source of possible contamination:		1 Septic tank		X Lateral lines		7 Pit privy		10 Livestock pens	
		2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage	
		3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage	
								13 Insecticide storage	
Direction from well?		Northwest				How many feet?		400	
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS			
0	3	Topsoil							
3	13	Clay, Tan							
13	54	Clay, Gray							
54	78	Sand, Medium							
	78	Shale, Gray							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/5/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 138 This Water Well Record was completed on (mo/day/yr) 4/26/01 under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson									