W	ATER WELL RECORD	Form WWC-5	KSA 82a-1212	2 ID No.			
1 LOCATION OF WATER WELL:	Fraction	101111111111	-	Number	Township Number	Range Numb	er
County: SALINE	SW 14 NW	14 NE 14		15	т 16 s	R 3W	E/W
Distance and direction from nearest to			hin city?				
305 S. KANSAS	•						
	UG POTTS						
1 1	5 S. KANSAS				Board of Agricultur	re, Division of Water Res	sources
	SARIA, KS. 67416				Application Number		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF COMPL	ETED WELL	61	ft. ELEVAT	ION:		
AN "X" IN SECTION BOX:	Denth(s) Groundwater	Fincountered 1	52	ft.	2	ft. 3	ft.
N	WELL'S STATIC WAT	ER LEVEL23	ft. below la	and surface	measured on mo/day/y	ft. 3 7-2-02	
	Pump test	data: Well water w	ras28	ft. af	ter1 hou	ırs pumping20	apm
NW X-NE	Est. Yield	gpm: Well water w	as	ft. af	íter hou	ırs pumping	gpm
	WELL WATER TO BE 1 Domestic 3	USED AS: 5 Pu Feedlot 6 Oil	blic water supp field water sup	oly	8 Air conditioning	11 Injection well 12 Other (Specify below)	
W ! E		Industrial 7 Do	mestic (lawn &	ppiy (darden), 1	Monitoring well	12 Other (Specify below)	)
" ! ! "	_ migation	<u></u>	moono (idiiii o	· gardony ·	o mornioning won		
sw se	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	mining and an arrange and	and the Dee		. N. Y	es, mo/day/yrs sample w	
	mitted	nological sample sul	лишеа ю Бер		ter Well Disinfected? Yes		as sub
	Timed			vva.	ter Well Distillected: Tes	5 A 190	
S							
5 TYPE OF BLANK CASING USED:		ought iron	8 Concrete t			Glued	
1 Steel 3 RMP (S 2 PVC 4 ABS	,	bestos-Cement erglass	9 Other (spe			Welded Threaded	
Blank casing diameter5							
Casing height above land surface	16 in		"		he /ft Wall thickness or /	SDR 26	
TYPE OF SCREEN OR PERFORATION		., weight	7 PVC		bs./it. waii trickness of g	•	
1 Steel 3 Stainles		erglass	8 RMP (			ecify)	
2 Brass 4 Galvani		ncrete tile	9 ABS	J. 1,	12 None used		
SCREEN OR PERFORATION OPENI	NGS ARE:	5 Guazed	wranned		8 Saw cut	11 None (open ho	اهار
	Mill slot •025		apped		9 Drilled holes		•
	Key punched	7 Torch cu	ut		10 Other (specify)		ft.
SCREEN-PERFORATED INTERVALS	From 54	ft. to	61	ft. From		ft. to	ft
	From	ft. to	,	. ft., From		ft. to ft. to	ft.
GRAVEL PACK INTERVALS	S: From22	ft. to	01	. ft., From	1	ft. to	ft.
	From	to		. π., From		ft. to	tt.
6 GROUT MATERIAL: 1 Nea	at cement 2 (	Cement grout	3 Bentonit	e 4	Other		
Grout Intervals: From0							
What is the nearest source of possible		,		10 Livesto		14 Abandoned water we	
1 Septic tank 4 Late		7 Pit privy		11 Fuel storage			
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard			-1-1		
	THEAST			How many	~~~		
FROM TO	LITHOLOGIC LOG		FROM	то		G INTERVALS	
0 3 FILL D				-			
	LOOM TAN						
	INE TO MED. TAN	T					
51 61 SAND F.	INE IO PED. IAI						
CONTRACTOR'S OR LANDOWNI completed on (mo/day/year)9-2	ER'S CERTIFICATION:	This water well was	(1) constructe	d, (2) recor	nstructed, ox (3) plugged	d under my jurisdiction a	ind was
completed on (mo/day/year)9-2	-U&			and this rec	ord is true to the best of n	ny knowiedge and belief.	Kansas
Water Well Contractor's Licence No	388	This Water W	ell Record was	s completed	on (mo/day/yr)	7/1/10/1	
under the business name of PESTI		1.75		hu (e	ignature) <b>(</b>	7	_ 1
				·		J war	7/
INSTRUCTIONS: Use typewriter or ball point p and Environment, Bureau of Water, Geology S	nen. PLEASE PRESS FIRMLY ar	nd PRINT clearly. Please fill	in blanks, underline	e or circle the c	orrect answers. Send too three of	copies to Kansas Department	Health