WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Saline	Fraction 1/4 SW 1/4 NW 1/4 NW 1/4	Section Number Township No. Range Number T 16 S R 3 □E X W	
Street/Rural Address of Well Location;	L	Global Positioning System (GPS) information:	
from nearest town or intersection: If at o		Latitude: (in decimal degrees)	
5 miles Westof Bridgeport	owner s address, eneck nere .	Longitude:	
5 miles westor bridgeport		Elevation:	
		Datum: WGS 84, NAD 83, NAD 27	
	Roeder	Collection Method:	
	S. Lightville, Rd	GPS unit (Make/Model:)	
City, State, ZIP Code : Linds	sborg, KS 67456	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF (COMPLETED WELL80	ft	
N WELL'S STATE			
Pump test data: Well water wasft. after hours pumping gpm			
•• '		ft. after hours pumping gpm	
		., andin. toft.	
	TO BE USED AS: Public water		
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering ☑ Other (Specify below)			
Irrigation Industrial Domestic-lawn & garden Monitoring well Stock			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted			
1 mile Water well disin	fected? 🛛 Yes 🗌 No		
5 TYPE OF CASING USED: Steel X PVC Other			
CASING JOINTS: Tot Glued Clamped Welded Threaded			
Casing diameter			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.			
From ft. to ft. From ft. to ft.			
From			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout 🔀 Bentonite ☐ Other			
Grout Intervals: From			
What is the nearest source of possible contamination:			
	es Pit privy Livestock p		
Sewer lines Cesspool Watertight sewer lines Seepage p	☐ Sewage lagoon ☐ Fuel storage it ☐ Feedyard ☐ Fertilizer storage		
Direction from well West/Southwe	Distance f	rom well 250–300'	
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 2 Topsoil	110.11	Diffic. Let (cons.) Grand and in the constant of the constant	
2 7 Clay, tan			
7 42 Shale, gray/red			
42 43 Shale fracture			
43 60 Shale, gray/red			
60 75 Shale, gray w/a f	few fractures		
75 85 Shale, red/gray			
15 05 514 514			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .5/23/.12 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year)5/31/12			
under the business name ofPeterson Irrigation, Inc by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			