KOLAR Document ID: 1527633

WATER V				WWC-5 ge in Well Use			sion of Wate urces App. N			Well ID		
Original Record Correction Chan LOCATION OF WATER WELL:							ion Number Township Num				ge Number	
County:					1/4 1/4	See	lon i vaniov	01	T S	R	$\Box E \Box W$	
Business: d Address: Address:						Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
City:			State:	ZIP:								
3 LOCATE V WITH "X"	IPLETED WELL							(decimal degrees)				
SECTION		Depth(s) Groundwater Encountered: 1)					Longitude:(decimal degrees)					
N		2) ft. 3) ft., or 4) D					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
			below land surface, measured on (mo-day-yr)						unit make/model:)	
NW	- NE	above land surface, measured on (mo-day-yr).					(WAAS enabled? ☐ Yes ☐ No)					
		Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map					
W	E	Well water was ft.					Online Mapper:					
SW					pumping gpm			6 Elevation & Crowd Level 7 TOC				
			Estimated Yield:gpm				6 Elevation:ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map					
S	e	Bore Hole Diameter: in. to fi				l	Other					
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. Depublic Water Supply: well ID												
		6. Dewatering: how many wells?										
			7. Aquifer Recharge: well ID									
2. Irrigation	al Remediation: well	ID	12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical									
3.				-			b) Open Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)												
Steel Stanless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
	GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic Tai			on: No Lateral Line				lin 200 ft. Livestock Pe	ens	□ Insectic	ide Storage		
Sewer Lin			Cess Pool	Sewage I	Lagoon	🗆 I	Fuel Storage			ned Water		
				☐ Feedyard		🗆 F	Fertilizer Sto	orage	🗌 Oil We	ll/Gas Well		
Direction from well? ft.												
10 FROM	ТО		ITHOLOG		FRO		ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
<u>├</u>												
						[
					Note	s:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No												
under my juri	isdiction ar	nd was compl	eted on (n	no-day-year)	Vater Wa	and the	his record	is tru	te to the best of my	y knowledg	ge and belief.	
under the business name of Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
		nd Environment, ks.gov/waterwel		water, Geology Section,	1000 S.M. Ja	ickson S	51., Suite 420,	, 10pe	xa, Nalisas 00012-136		A 82a-1212	