

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Saline		Near 1/4 Center 1/4 NW 1/4	36	T 16 S	R 3 W
Distance and direction from nearest town or city street address of well if located within city? <b>Redrill-Irrigation Well-moved 90ft West of old well</b>					
2 WATER WELL OWNER: Ralph Todd Estate RR#, St. Address, Box #: c/o Lud Bengston City, State, ZIP Code: 129 S. 8th, Salina, KS 67401 Board of Agriculture, Division of Water Resources Application Number: #3865					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 60 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 25 ft. 2. . ft. 3. . ft. WELL'S STATIC WATER LEVEL 25 ft. below land surface measured on mo/day/yr 5-17-90 Pump test data: Well water was . ft. after . hours pumping gpm Est. Yield 400-600 gpm: Well water was . ft. after . hours pumping gpm Bore Hole Diameter 30 in. to 60 ft., and . in. to . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameter 16 in. to 40 ft., Dia . in. to . ft., Dia . in. to . ft. Casing height above land surface 12 in., weight 16.15 lbs./ft. Wall thickness or gauge No. 500 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) . 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) . SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft., From . ft. to . ft. GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 20 ft., From . ft. to . ft., From . ft. to . ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? North West How many feet? 400ft					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS					
0	3	Top Soil			
3	8	Dark Red Clay			
8	29	Gray Clay			
29	37	Fine Sand & Silt			
37	59	Medium to Medium Course Sand & Gravel			
59	60	Gray Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-17-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 5-28-90 under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					