


1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 NW 1/4 Section Number 31 Township Number T 16 S Range Number R 32 E/W
 County: SCOTT

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: HELEN WELCH
 RR#, St. Address, Box # : Box 183 Board of Agriculture, Division of Water Resource
 City, State, ZIP Code : Dalhart, Tx 79022 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 111 ft. ELEVATION: 101 ft. below land surface measured on mo/day/yr
 Depth(s) Groundwater Encountered 1. 111 ft. 2. 101 ft. 3. 101 ft.
 WELL'S STATIC WATER LEVEL 101 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 101 ft. after 101 hours pumping 101 gpm
 Est. Yield 101 gpm: Well water was 101 ft. after 101 hours pumping 101 gpm
 Bore Hole Diameter 101 in. to 101 ft., and 101 in. to 101 ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) LIVESTOCK
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes 101 No 101; If yes, mo/day/yr sample was submitted 101
 Water Well Disinfected? Yes 101 No 101

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 101 Clamped 101
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 101
 2 PVC 4 ABS 7 Fiberglass Threaded 101
 Blank casing diameter 101 in. to 101 ft., Dia. 101 in. to 101 ft., Dia. 101 in. to 101 ft.
 Casing height above land surface 101 in., weight 101 lbs./ft. Wall thickness or gauge No. 101
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 101
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 101
 SCREEN-PERFORATED INTERVALS: From 101 ft. to 101 ft., From 101 ft. to 101 ft., From 101 ft. to 101 ft.
 GRAVEL PACK INTERVALS: From 101 ft. to 101 ft., From 101 ft. to 101 ft., From 101 ft. to 101 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other 101
 Grout intervals: From 101 ft. to 101 ft., From 101 ft. to 101 ft., From 101 ft. to 101 ft.
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>111</u>	<u>101</u>	<u>FILL SAND</u>			
<u>101</u>	<u>97</u>	<u>BENTONITE PLUG</u>			
<u>97</u>	<u>12</u>	<u>FILL SAND</u>			
<u>12</u>	<u>3</u>	<u>BENTONITE PLUG</u>			
<u>3</u>	<u>0</u>	<u>TOP SOIL</u>			
		<u>2 GAL CHLORINE BLEACH</u>			
		<u>IN BOTTOM OF WELL</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) AUG 15, 1992 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 514 This Water Well Record was completed on (mo/day/yr) 101 under the business name of Milly Duerksen & Pump by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.