WATER WELL RECORD	Form WV	WC-5	Division of	Water Resources App. N	0,	
1 LOCATION OF WATER WE	LL: Fraction		Section Num		Range Number	
County: Scott	1/4 NE 1/4 NE		36	T 16 S	R 33 □E ▼ W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
83 Hwy & 95 Hwy, go on 95 Hwy 600', East 250' to Well			Longitude: (in decimal degrees) Elevation:			
			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Gean Jett			Collection Method:			
RR#, Street Address, Box #: RR 1			GPS unit (Make/Model:)			
City, State, ZIP Code : 5	Scott City, KS 67871		Digital M	ap/Photo, Topograph	ic Map, Land Survey	
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m						
3 LOCATE WELL WITH AN "X" IN 4 DEPT	TH OF COMPLETED WELI	157		ft.		
N WELL'S	WELL'S STATIC WATER LEVEL 69ft. below land surface measured on mo/day/yr					
	Pump test data: Well water was Airft. after Lift hours pumping gpm					
EST. YIELD. 75gpm. Well water was						
W E Bore Hole Diameter !Vin. to .12/tt., and						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE						
Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
8 If yes, mo/day/yr sample was submitted						
Water went distincted: [4] 163 [140						
5 TYPE OF CASING USED: Steel V PVC Other						
CASING JOINTS: ✓ Glued ☐ Clamped ☐ Welded ☐ Threaded						
Casing diameter 5 in. to						
Casing height above land surface. 18 in., Weight 200 lbs./ft., Wall thickness or gauge NoSDR21						
TYPE OF SCREEN OR PERFOR Steel Stainless Stee		_	Other (Specify)			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 137 ft. to 157 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From .5						
Septic tank						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well . 1/4. Mile ☐ Distance from well Dis						
Direction from well East	The state of the s					
	HOLOGIC LOG	FROM			UGGING INTERVALS	
0 2 Top Soil		154	157 Yellov	w Shale		
2 52 Brown Clay	was Garage					
52 62 Medium to Coa						
	Coarse Sand Sreaks					
58 72 Gypsum	to Modium Rand Stracks					
72 83 Gypsum, Fine to Medium	to Medium Sand Streaks				.,	
112 130 Fine Sand	Ι σαπα					
	n Sand, Some Small					
	emented Sand Streaks					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \constructed, \cup \text{ reconstructed, or } \cup \text{ plugged} \)						
under my jurisdiction and was completed on (mo/day/year) .10-16-13 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (mo/day/year) 11-5-13						
under the business name of Midwest Well & Pump Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						