OCATION OF WA		Fraction	ER WELL RECOR	Form WWC-5	tion Number		Number	Range Num	nber 📜
nty: Sco			4 N E 1/4	SE 14	12	T 16	S	R 33	EW
nce and direction	n from nearest to	own or city street	address of well if k	cated within city?	+ 5+1	ParkLot	3,4,5	- Block	7
ATED MELL ON	WIED. 41		. 1 1 1	Scott Con	nly Zial	2 / 01	2,1,0	Broad v	1186
VATER WELL OV			Nalker			Board or	f Agriculturo F	Division of Water I	Docour
St. Address, Bo		S Co	HT City, 2	CS 6737	7		i Agriculture, L ion Number:	NVISION OF WATER	n e sour
State, ZIP Code	COATION MET	1.1		. 70					
N "X" IN SECTIO	N BOX:	DEPTH OF	COMPLETED WEL	40	ft. ELEV/	۲IION:ب.ب	***********		
	<u>N</u>	Depth(s) Groun	owater Encountere C WATER LEVEL	40		Z		• • • • • • • • • • • • •	1
	1 1 1								
NW	NE		np test data: Well O gpm: Well				•		
"	1 ! !		netergpm. Weii						
w 	 	· I	TO BE USED AS:			8 Air conditioni		njection well	•
i	1 1 1	(1) Domesti			• • •	9 Dewatering	•	Other (Specify be	low)
sw	SE -	2 Irrigation				10 Observation			
	1 1	_	l/bacteriological san				~ <i>I</i>	mo/dav/vr samole	e was s
<u> </u>	<u> </u>	mitted	.	•		ater Well Disinfe	=	No)	K
YPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr				I Clamped	Xt
1 Steel	3 RMP (SR)	6 Asbestos-Cen	nent 9 Other	(specify belo	w)	Welde	ed	
②PVČ	4 ABS		7 Fiberglass		· · · · · · · · · · · · · · · ·			ded	
k casing diameter	r 5	in. to		in. to					
ng height above l	land surface	/2	in., weight	<u>.</u>	Ibs	ft. Wall thicknes	s or gauge No	2.0 0	
E OF SCREEN C	R PERFORATION	ON MATERIAL:		Ø PV	C	10 A	sbestos-ceme	nt	
1 Steel	3 Stainle	ss steel	5 Fiberglass		IP (SR)				
2 Brass		ized steel	6 Concrete tile	9 AE	S	_	ione used (op		
EEN OR PERFO	RATION OPENI	NGS ARE:		Gauzed wrapped		8 Saw cut		11 None (open	hole)
1 Continuous sl		Mill slot		Wire wrapped		9 Drilled hole			
2 Louvered shu		Key punched		Torch cut					
IEEN-PERFORAT	ED INTERVALS	i: From		·~ /1)	• # Er/	NOTE:	# # #/). <i></i> . <i>.</i>	
				to		////			
		From	ft.:	to	ft., Fro	om	ft. to	o	<i>.</i>
GRAVEL PA	ACK INTERVALS	From	15ft.	to 70	ft., Fro	om	ft. to	o	<i>.</i>
	ACK INTERVALS	From S: From From	15 ft. ft.	to	ft., Fro ft., Fro ft., Fro	om	ft. to	o	
ROUT MATERIA	ACK INTERVALS L: 1 Near	From S: From From t cement	15 ft. 1 Cement grout	to	ft., Fro ft., Fro ft., Fro	om	pleted	o	
GROUT MATERIA	L: 1 Near	From S: From From t cementft. to	15 ft. ft.	to	ft., Fro ft., Fro ft., Fro onite 4	omom omom Other COm ft., From	pleted	by own	er.
GROUT MATERIA ut Intervals: Fro at is the nearest s	L: 1 Near	From From From t cement ft. to e contamination:	ft. ft. ft. 2 Cement grout ft., From .	to	ft., Frontie 4 to10 Live	om	ft. to ft	by own	er.
GROUT MATERIA ut Intervals: Fro at is the nearest s (1) Septic tank	L: 1 Near	From From From t cementt. to e contamination: eral lines	ft. ft. 2 Cement grout ft., From 7 Pit priv	toto	ft., From the first five fits from the	om	ft. to ft	by . O.W. n. t. to	er
GROUT MATERIA ut Intervals: Fro at is the nearest s Septic tank 2 Sewer lines	L: 1 Near com	From From t cement t, ft. to e contamination: eral lines ss pool	ft. ft. ft. 2 Cement grout ft., From .	to	ft., Fro ft., Fro onite 4 to 10 Live 11 Fuel 12 Fert	om	ft. to ft	by own	er well
ROUT MATERIA at Intervals: Fro it is the nearest s Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Near com	From From t cement t, ft. to e contamination: eral lines ss pool	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag	to	ft., From the fit of the fit	om	ft. to ft	by . O.W. n. t. to	er well
AROUT MATERIA Lit Intervals: Fro It is the nearest s Septic tank 2 Sewer lines 3 Watertight section from well?	L: 1 Near com	From From t cement t, ft. to e contamination: eral lines ss pool	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit of the fit	om	ft. to ft	of	er well
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO	L: 1 Near com	From From t cementft. to e contamination: eral lines es pool epage pit	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er well
ROUT MATERIA at Intervals: Fro it is the nearest s Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 2 J O 3 O	L: 1 Near om cource of possible 4 Late 5 Ces wer lines 6 Sec	From From t cementft. to e contamination: eral lines es pool epage pit	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA Let Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? ON TO O 3.0 O 3.0	ACK INTERVALS L: 1 Near Dom. Cource of possible 4 Late 5 Ces wer lines 6 Sec	From From t cementft. to e contamination: eral lines ss pool epage pit	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er well
ROUT MATERIA It intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O 30 C 45 52	L: 1 Neaton	From From t cementt. to e contamination: eral lines ss pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O 30 C 45 52	ACK INTERVALS L: 1 Neathern Cource of possible 4 Latern 5 Cestwer lines 6 Section 9 y p	From From t cementt. to e contamination: eral lines ss pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O JO JO JO JO JO JO JO JO JO	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O JO JO JO JO JO JO JO JO JO	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O 30 C 45 52	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
AROUT MATERIA Let Intervals: From It is the nearest second is the nearest second in the second in t	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
irrout MATERIA at Intervals: Fro at is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O 3 0 O 45 5 2	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O 30 C 45 52	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
irrout MATERIA at Intervals: Fro at is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O 3 0 O 45 5 2	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO O JO JO JO JO JO JO JO JO JO	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	er
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? M TO M T	L: 1 Neadom	From From t cementft. to e contamination: eral lines es pool epage pit LITHOLOGIC	ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedys	to	ft., From the fit., F	om	ft. to ft. to	of	e Y well
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Sewer lines Watertight section from well? OM TO OO JO SECTION TO	ACK INTERVALS L: 1 Near Dom Cource of possible 4 Late 5 Ces Wer lines 6 Sec E Soil 9yp Tine 9001 Fair	From From t cementt. to e contamination: eral lines ss pool epage pit LITHOLOGIC Sand Sand	ft. / S	to	ft., From tt., F	om Other COM Oth	14 Al 15 O 16 O LITHOLOG	it to	erwell
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Se	ACK INTERVALS L: 1 Near Dom. Cource of possible 4 Late 5 Ces Wer lines 6 Sec E Soil 9 y p Tine 9 o J Fair OR LANDOWN	From From t cementt. to e contamination: eral lines ss pool epage pit LITHOLOGIC Sand Sand Sand	ft. / S ft. 2 Cement grout ft., From . 7 Pit priv 8 Sewag 9 Feedys C LOG	to	to	om Other COM Oth	ft. to ft	it to	erwell
ATTERIAL Intervals: From the second of the s	ACK INTERVALS L: 1 Neathern Cource of possible 4 Later Society Cource 6 See E Society Cource 6 See E	From From t cement t, ft. to e contamination: eral lines es pool epage pit LITHOLOGIC Sand Sand Sand Sand	### Company of the co	to	to	om Other COM Oth	ft. to ft	it to	erwell
ATTERIAL Intervals: From the is the nearest section from well? ON TO	CK INTERVALS L: 1 Near Dom Cource of possible 4 Late 5 Ces Wer lines 6 Sec F OR LANDOWN V/year) . Sec T's License No.	From From t cement tft. to e contamination: eral lines ss pool epage pit LITHOLOGIC Sand Sand Sand Sand Sand Sand Sand San	ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewag 9 Feedya C LOG	to	to	om Other COM Oth	14 Al 15 O 16 O LITHOLOG best of my kn	it to	erwell
AROUT MATERIA Let Intervals: From the is the nearest so is the nearest so is septic tank 2 Sewer lines 3 Watertight section from well? IOM TO O 30 O 75 5 52 7 70 CONTRACTOR'S appleted on (mo/day er Well Contractor or the business in the contractor or t	CK INTERVALS L: 1 Near Cource of possible 4 Late 5 Ces Wer lines 6 Sec Fair OR LANDOWN V/year) . Sec r's License No. ame of Aby	From From t cement ft. to e contamination: eral lines ss pool spage pit LITHOLOGIC Sand Sand Sand Sand Sand Sand Sand	ft. / S	to	to	om Other COM Oth	14 Al 15 O 16 O 5O LITHOLOG best of my known Aug	it to pandoned water vil well/Gas well ther (specify below IC LOG	well w) and vert. Kan
CONTRACTOR'S pleted on (mo/dayer Well Contractor the business na TRUCTIONS: Use	ACK INTERVALS L: 1 Near Dource of possible 4 Late 5 Ces wer lines 6 Sec F OR LANDOWN y/year) . Sec r's License No. ame of Aby e typewriter or ba	From From t cement ft. to e contamination: eral lines ss pool spage pit LITHOLOGIC Sand Sand Sand Sand Sand Sand Sand	7 Pit priv 8 Sewag 9 Feedya C LOG This Water v	to	to	om Other COM Oth	14 Al 15 O 16 O 17 Dlugged uncobest of my known Augustine or circle the	it to bandoned water vil well/Gas well ther (specify below) IC LOG	er. well and ver. Kan Send
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 2 3 0 2 75 5 2 7 7 0 CONTRACTOR'S pleted on (mo/day or Well Contractor or the business na TRUCTIONS: Use	CK INTERVALS L: 1 Near Cource of possible 4 Late 5 Ces Wer lines 6 Sec F OR LANDOWN (y/year) . Sec 1 typewriter or bas Department of	From From t cement ft. to e contamination: eral lines ss pool spage pit LITHOLOGIC Sand Sand Sand Sand Health and Environ	ft. / S	to	to	om Other COM Oth	14 Al 15 O 16 O 17 Dlugged uncobest of my known Augustine or circle the	it to bandoned water vil well/Gas well ther (specify below) IC LOG	er. well and ver. Kan Send
ROUT MATERIA It Intervals: Fro It is the nearest s Septic tank Septic tank Sewer lines Watertight section from well? OM TO SECONTRACTOR'S Deleted on (mo/day or Well Contractor or the business nerror the business ner	CK INTERVALS L: 1 Near Cource of possible 4 Late 5 Ces Wer lines 6 Sec F OR LANDOWN (y/year) . Sec 1 typewriter or bas Department of	From From t cement ft. to e contamination: eral lines ss pool spage pit LITHOLOGIC Sand Sand Sand Sand Health and Environ	7 Pit priv 8 Sewag 9 Feedya C LOG This Water v	to	to	om Other COM Oth	14 Al 15 O 16 O 17 Dlugged uncobest of my known Augustine or circle the	it to bandoned water vil well/Gas well ther (specify below) IC LOG	er. well and ver. Kan Send
ROUT MATERIA t Intervals: Fro t is the nearest s Septic tank Sept	CK INTERVALS L: 1 Near Cource of possible 4 Late 5 Ces Wer lines 6 Sec F OR LANDOWN (y/year) . Sec 1 typewriter or bas Department of	From From t cement ft. to e contamination: eral lines ss pool spage pit LITHOLOGIC Sand Sand Sand Sand Health and Environ	7 Pit priv 8 Sewag 9 Feedya C LOG This Water v	to	to	om Other COM Oth	14 Al 15 O 16 O 17 Dlugged uncobest of my known Augustine or circle the	it to bandoned water vil well/Gas well ther (specify below) IC LOG	er. well w) and v f. Kan S.