WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number Range number			
1. Location of well:	Wichita	SW 1/4 SE 1/4 SW	1/4	16	5	T 16 s	R 36	E GS	
2. Distance and dire	nce and direction from nearest town or city: 12N, 43/4W of Address of well location if in city: Marienthal, Kansas R.R. or street: City, state, zip code: Marienthal, KS 67863 6. Bore hole dia. 9x2h. Completion date — Well depth 180 ft. 8-14-70 7 Cable tool _ Rotary _ Driven _ Dug								
Street address of well location if in city: Marienthal. Kansas						Marienthal, KS 67863			
						6. Bore hole dia 9x26. Completion date			
, <u> </u>							***************************************		
I LIVE NEW MENT						Cable fool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotary			
Feed Lot					0	8. Use: Domestic Public supply Industry			
					eu	X Irrigation Air conditioning Stock Lawn Oil field water Other			
						9. Casing: MaterialSteel Height boys or below Threaded Welded X Surface 10 in. RMP PVC Weight 31 67 lbs./ft.			
S I——— 1 Mile ————————————————————————————————————						Dia.16 in. to 180 ft. depth Wall Thickness: inches or			
5. Type and color of	material			From	То	Dia in. to ft. dept	h gage No.	188	
01				_		10. Screen: Manufacturer's n	. W		
Clay Clay ad atma				0	35	Type Prime Steel	_ Dia16_1	ft.	
Clay sd s	trs.			35	45		ft. and180		
Sd coarse				45	69	Gravel pack? <u>Ves</u> Size rar		74-±ft.	
				69	112	11. Static water level:	mo	o./day/yr.	
Clay Sd coarse			<u> </u>		120 ft. below land surf		21-76		
od coarse				112	122	12. Pumping level below land		1 g.p.m.	
Clay sdy	ay coarse ay sdy coarse ay sdy			122	137	150 ft. after 4 h	rs. pumping 1200 1200		
Sd coarse				137	171	13. Water sample submitted:	mc	g.p.m.	
Clay voll	OH.			101	100		Date		
Clay yellow				171	177	Well head completion: Pitless adapter	Inches above	grade	
Shale	**************************************			177	180	(15) Well grouted?			
						With: Neat cement Depth: From ft. to	Bentonite	Concrete	
i						16. Nearest source of possible	contamination:	Feed	
						ft. 1320 Direction Well disinfected upon comple		Lot_ No	
						17. Pump:	Not installed		
	,					Manufacturer's name West Model number	ern Land B	Coller 460	
						Length of drop pipe 170	ft. capacit 200) g.p.m.	
						Type: Submersible	_X Turbin	ie .	
(Use a second sheet if needed)						Jet	Recipr	rocating	
(Use a second sneet it needed) 18. Elevation: 19. Remarks:				L		Centrifugal 20. Water well contractor's c	Other	*	
						This well was drilled under my	jurisdiction and thi	s report	
Тородгарну:						is true to the best of my knowl Weishaar Drill		232 🕏	
Hill Slope						Business name		cense No.	
X Upland						Tour M	2 km		
Valley		4.040				Authorizatrapi	esentative 7-7	<u>}</u>	
Forward the white, blu	e and pink copies to the Department o	of Health and Environment					Form WV	NC-5)	