## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1 1 4 6 11	County Fraction			Section number		Township number	Range number			
1. Location of well:	Wichita	SE 1/4 NW 1/4 SE	1/4	2	3	т 16 s	R 36	E Ø		
R.R. or s					er of well: Richard Miller					
Short address of well location if in cityOt' Marienthal Kansas					street: Box 205 tate, zip code: Leoti, KS 67861					
4. Locate with "X" i		Sketch map:				6. Bore hole dig26in				
\[ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					10	Well depth 198         ft.         7-19-76           7.        Cable tool        Rotary        Driven        Dug				
					9	Hollow rod Jetted Bored Reverse rotary				
1 Septic 1 3/4						8. Use: Domestic Public supply Industry				
					·	X Irrigation Air conditioning Stock Lawn Oil field water Other				
					' I	9. Casing: Material Steel Height: Bove below				
						Threaded Welded X Surface in.  RMP PVC Weight 31 ,67 lbs./ft.				
S 1 M	_					Dia.16 in. to198 ft. dep	oth Wall Thickness: inc	ches or		
5. Type and color of material			From	То	Dia in. to ft. depth gage No 100					
01							ee Flow			
Clay				0	36	Type Prime Steel	Dia <u>16 i</u> Length40			
Сутр		· · · · · · · · · · · · · · · · · · ·		36	65	Set between158	ft. and198	ft.		
Clay				65	112	Gravel pack? Yes Size ro		4-‡ <sup>ft</sup> ·		
Fine sd	clay			112	120	11. Static water level:  142 ft. below land su		/day/yr. 76		
Sd rock				120	126	12, Pumping level below lan	d surfaces:			
Clay				126	133		hrs. pumping 320 hrs. pumping 480	. g.p.m.		
Sd coarse				133	146	13. Water sample submitted:		/day/yr.		
Clay sdy					160	Yes X No Date  (14.)Well head completion:				
Fine sd						Pitless adapter	12 Inches above	grade		
rine su	O_LaJ			100	182	15.) Well grouted? With: Neat cement	Bentonita	Concrete		
Clay				182	187	Depth: From ft. to	ft.	COLICI 818	ا	
Sd coarse				187	195	16. Negrest source of possible contamination: ft. 3960 Direction SW Type Septic				
Clay yellow				195	202	Well disinfected upon completion? X Yes No				
					17. Pump: Manufacturer's name WES	Not installed tern Land Ro	01107	, ,		
Shale				202	205	Model number CE	HP40 Vol	n460		
			. ,			Length of drop pipe 190 Type:	ft. capacity 480	g.p.m.	(	
						Submersible	X Turbine	,	1	
	(Use a second s	heet if needed)				Jet Centrifugal	Recipro	cating	Š	
18. Elevation:	19. Remarks:					20. Water well contractor's	certification:		°	
						This well was drilled under no is true to the best of my know		report		
Topography:						Weishaar Dri	Ming.	232	1	
Hill Slope						Business name	KS 6787	ense No.	7	
_x_ Upland						MAN /	anton	Z	- -	
Valley						Authorized Fer	<del></del>	-76	4	
Forward the white, blo	ue and pink copies to the Department	of Health and Environment					Form WW	rc-5 /		