WATER WEL	L RECORD	Form WWC-5	KSA 82a	-1212 ID No				
1 LOCATION OF WATER WELL: Fraction		5		1		p Number Range Number		
County: Wichita SE	14 SW	¼ SE	1/4	35	т 16	s	R 38	E(W)
Distance and direction from nearest town or city	street address o	of well if located	within city?					$\overline{}$
9 miles N. & $6\frac{1}{4}$ west	of Jct.	Hwy 25	& 96 i	n Leoti	KS			
2 WATER WELLOWNER: Larry Cro								
RR#, St. Address, Box # : Box 587					Doord of Agr	ioulturo Div	isian of Matau F	
City, State, ZIP Code : Silverton	CO 814	133			Application N		rision of Water F	resources
3 LOCATE WELL'S LOCATION WITH 4 DEPTH			160	# ELE\/AT				
AN "X" IN SECTION BOX: Depth(s)	Groundwater E	ncountered	1		2	tt. 3	26 10	ft.
WELLS	Pump test d	1 LEVEL I.Z.	.∠π. Del	ow land sunace	e measured on mo/ofter	ay/yr <i>l</i> 	r.∠Ω. i.U	anm
Fst Yiel					fter			
	ATER TO BE U		Public water		8 Air conditioning		ection well	gp.
					9 Dewatering		ner (Specify belo	ow)
W E 2 Irri	gation 4 Ir	ndustrial 7	Domestic (la	wn & garden)	0 Monitoring well.			
SW SE Was a c	hemical/hacterio	ological sample	submitted to	Department? V	es NoX	· If ves mo	/day/vrs sample	was sub.
X mitted	ioimoa/baotem	ological sample	Submitted to		ter Well Disinfected		Noay/yrs sample No	
X								-
S							77	
5 TYPE OF BLANK CASING USED:		ight iron	8 Concr				.X Clampe	
1 Steel 3 RMP (SR)		estos-Cement		(specify below)			d	
2 PVCX 4 ABS	7 Fiber	•					ded	
Blank casing diameter5in	. to	ft., Dia		in. to	ft., Dia.		in. to	ft.
Casing height above land surface24		weight			bs./ft. Wall thicknes	s or guage	No	•••••
TYPE OF SCREEN OR PERFORATION MATER				C X		stos-Ceme		
1 Steel 3 Stainless Steel	5 Fibe			MP (SR)				
2 Brass 4 Galvanized Steel	6 Cond	crete tile	9 A	35	12 None	used (ope	n noie)	
SCREEN OR PERFORATION OPENINGS ARE:			zed wrapped		8 Saw cut X		11 None (open	hole)
1 Continuous slot 3 Mill slot			wrapped		9 Drilled holes			
2 Louvered shutter 4 Key punche	ed	7 Torc	h cut		10 Other (specify)		•••••	ft.
GRAVEL PACK INTERVALS: From	1.6.8	ft. to	ZU	ft., From		ft. to		ft.
From	••••	π. το		π., From		π. το		π.
6 GROUT MATERIAL: 1 Neat cement	37 2 Ce	ement grout	3 Ren	tonite 4	Other			
Grout Intervals: From3ft. to	A 20 f							
What is the nearest source of possible contamination		, 110111						
•	ation.	- D:: :		10 Livesto	٠ 22		andoned water	well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage			16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedya	rd	13 Insecti		chic	ckens	
Direction from well? West				How many	<u>/ feet? 40</u>			
FROM TO LITHO	LOGIC LOG		FROM	TO	PLUC	GING INT	ERVALS	
0 15 top soil								
15 35 white rock							,	
35 50 sand & clay	brown							
50 167 sand & clay								
167 168 shale	BOLIDA							
107 100 Bitale								
			1					
7			- 40					
CONTRACTOR'S OR LANDOWNER'S CER	HEICATION: Th	ns water well w	vas (1) constr	ructed, (2) reco	nstructed, or (3) plu	igged unde	r my jurisdiction	n and was
completed on (mo/day/year)7261.0				and this red	ora is true to the bes	si ot my kno	wieage and beli	er. Kansas

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send op three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.

by (signature)

under the business name of

Drilling

Bartell