WATER WELL RECORD	Form W	WC-5	Divis	sion of Water	r Resources App. No). L	
1 LOCATION OF WATER WELL:	Fraction		Section		Township No.	Range Number	
County: Witchita	5 E 1/4 1/4	1/4 1/4			T 16 S	R 38 □E XW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
from nearest town or intersection: If at owner's address, check here . Latitude:						(in decimal degrees)	
C to Dd C = C C				Elevation:			
2 WATER WELL OWNER: NEW LOOR OF SON INC.			Datum: WGS 84, NAD 83, NAD 27				
RR#, Street Address, Box #: 109 (quarter Ad 120 total			Collection Method: GPS unit (Make/Model:)				
2 WATER WELL OWNER: Niswonger & Son Inc. RR#, Street Address, Box #: 109 County Pol 120 4000 City, State, ZIP Code: Wallace 165 6796 (Digital Map/Photo, Topographic Map, Land Survey			
			Est. Acc	euracy:	3 m, ☐ 3-5 m, ☐	5-15 m, \square >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELI	. al)	ft.			
SECTION BOX: Depth(s) Groundwater Encountered (1). 1.25							
N WELL'S STATIC WATER LEVEL/3.5ft. below land surface measured on mo/day/yr. 44/2-3/14 Pump test data: Well water was							
Edm varar 5	test data: Well wate	r was	ft. a	ıfter	hours pum	pinggpm	
W NW NE E EST. YIELD. 170 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 1.1. in. to 210 ft., and in. to ft.							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes X No If yes, mo/day/yr sample was submitted							
Water well disinfected? Yes \(\sum \) No							
5 TYPE OF CASING USED: Stee							
CASING JOINTS: K Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel ☑ PVC □ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 1.50 ft. to 210 ft., From ft. to ft. From ft. to ft.							
	From	ft. to		ft., From	ft.	to It	
GRAVEL PACK INTERVALS:	From	ft to		ft From	ft.	to fi	
6 GROUT MATERIAL: Neat cem	ent	t Bento	nite 🕅	Other		,	
Grout Intervals: From	o <i>Q.O</i> ft., Fron	a	ft. to	ft.,	From	ft. toft	
What is the nearest source of possible con		T :41.	r	Insecticide	a storage [] Of	ner (specify below)	
Septic tank Lateral li Sewer lines Cesspool	nes Pit privy Sewage lagoon	Livestock Fuel stora			d water well	der (speerly below)	
☐ Watertight sewer lines ☐ Seepage	pit 🔲 Feedyard	Fertilizer s	storage	Oil well/ga	as well		
Direction from well				1 <i>3004</i>	OG (2011) or PLI	JGGING INTERVAL	
FROM TO LITHOLOGO SURFACE SC		FROM	O10	Sh.		JOONO IVILICVILL	
0 8 surface se 8 30 clay	314	1-10	OLU	سرج.			
30 36 Sand 4	gravel						
36 53 Sandstone	J						
53 96 Clay							
96 98 Sand	4 . 1						
98 150 Clay/sand	A clay mix						
165 184 sand 4 cl							
184 196 sand to	rovel					- Freedom -	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🕱 constructed, 🗌 reconstructed, or 📋 plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of BM (August by (signature) by							
INSTRUCTIONS: Use typewriter or ball point p	n PLEASE PRESS FIRMI	Yand PRINT of	clearly. Plea	se fill in blank	s and check the correc	st answers. Send one copy t	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdhcks.gov/waterwell/index.html							