WATER WELL RE	CORD	Form W	WC-5	Div	vision of Water	r Resources App. N		
1 LOCATION OF WATER WELL:		17 BITT 17 BISA	1 / CE 1/		on Number 34	•	Range Number R 38 □E ✓W	
County: Wichita		1/4 NE 1/4 NW			34 T 16 S R  Global Positioning System (GPS) infor			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)			
					Longitude:			
Co. Rd. G & Co. Rd. 24 3/4 mile east, 1/2 mile north					Elevation:			
A WATER WELLOWNER				<u>Datum</u>	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Delbert Baker					Collection Method:			
RR#, Street Address, Box #: 850 N. County Rd. 20				GPS unit (Make/Model:)				
City, State, ZIP Code	nal. KS 67863	Est A	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL								
WITH AN "X" IN	THAN "X" IN 4 DEPTH OF COMPLETED WELL 120							
SECTION BOX:	X: Depth(s) Groundwater Encountered (1)							
N	X: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water was .107ft. after .4 hours pumping .33 gpm								
EST. YIELD. 50gpm. Well water was						ping gpm		
W Bore Hole Diameter 10 in. to .120 ft., and in. to						π. njection well		
χ'	□ Domestic							
SW   Domestic								
Was a chemical/bacteriological sample submitted to Department?  Yes V No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .100 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 24 in., Weight 200lbs./ft., Wall thickness or gauge NoSDR21								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other								
Grout Intervals: From .5								
Septic tank								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Ladder Creek								
Direction from well							77707-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
FROM TO	LITHOLOG	IC LOG	FROM	TO			IGGING INTERVALS	
0 2 Top Sec. 2 37 Brown			116	120	Yellow Soa	ck (Loose-Clean	<u> </u>	
		ledium Sand Str.	110	120	I GIIOW SOS	ap Stolle		
	Coarse Sand, Some Small Gravel  Medium Coarse Sand Small Gravel							
	Brown Clay							
	Medium Coarse Sand, Cemented Streak							
	Brown Clay, With Medium Sand Streaks							
	Brown Clay, Medium Sand Streaks70/30							
109 116 Coarse Sand, Small Gravel, White								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .1:2:16 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (mo/day/year) 2-2-16								
under the business name of Midwest Well & Pump Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blacks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
	KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							