

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | | |
|---|--|------------------------------|---|---|--------------------------------|-----------------------------------|
| 1. Location of well: | | County GREELY | Fraction SW 1/4 NE 1/4 NE 1/4 | Section number 20 | Township number T 16 | Range number S R 39 E/W |
| 2. Distance and direction from nearest town or city: 13 N. 5 1/2 E. - 1/4 S. of TRIBUNE, KS. | | | 3. Owner of well: L. A. PETER | | | |
| Street address of well location if in city: | | | R.R. or street: | | | |
| City, state, zip code: TRIBUNE KANS. 67879 | | | | | | |
| 4. Locate with "X" in section below: | | Sketch map: | | 6. Bore hole dia. 2 1/2 in. Completion date 12-26-75 Well depth 190 ft. | | |
| | | | | 7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | | |
| 5. Type and color of material | | From | To | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other | | |
| TOP SOIL, CLAY & LIME | | 0 | 144 | 9. Casing: Material STEEL Height: (Above) or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 40 lbs./ft. Dia. 1 1/2 in. to 1 1/2 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 219 | | |
| SAND, LIME & CEMENTED SAND | | 144 | 164 | 10. Screen: Manufacturer's name W. A. BROWN Type FREE FLD Dia. 1 1/2 Slot/gauze SLOT Length 30' Set between 1 1/2 ft. and 1 1/2 ft. Gravel pack? YES Size range of material 5/8 | | |
| CLAY, LIME & CEMENTED SAND | | 164 | 168 | 11. Static water level: 134 ft. below land surface Date 12-17-75 mo./day/yr. | | |
| SAND | | 168 | 173 | 12. Pumping level below land surfaces: 185 ft. after 7 hrs. pumping 900 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 900 g.p.m. | | |
| CLAY | | 173 | 177 | 13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date | | |
| SAND | | 177 | 183 | 14. Well head completion: <input type="checkbox"/> Pitless adapter 18 inches above grade | | |
| CLAY, LIME, & CEMENTED SAND | | 183 | 189 | 15. Well grouted? YES With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft. | | |
| SHALE | | 189 | 190 | 16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type NONE Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | |
| | | | | 17. Pump: <input type="checkbox"/> Not installed Manufacturer's name LAYNE Model number 79.504R HP 50 Volts 440 Length of drop pipe 180 ft. capacity 700 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | | |
| 18. Elevation: | | 19. Remarks: LEVEL | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. 123 ARK VALLEY Pump & Supply Business name License No. Address Box 235, Holly, Colo Signed W. Smith Date 2-70 Authorized representative | | |

T 16 R 39 E S 20 SW NE 1/4