WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	Count	Fam. **			Τ		T	1-			
1. Location of well:	County Fraction			Section number			Township number	Range r	Range number		
	Greeley		NE 1/4 N		20		44	S R	39	E.	
					3. Owner of well: L. A. Peter R.R. or street:						
Street address of well	location if in city: of Sell	irk, KS				:ode: "T	ribune, KS 6787	70			
4. Locate with "X" in	n section below:	ketch map:					6. Bore hole dia. <u>26</u>		ion date		
N							Well depth 178 ft.		24-75		
1 1	X	1/	mi				7 Cable tool Rota				
NW	NE VINEL	1.0		STr	-0/	. ,	Hollow rod Jette			-	
w Xwell _ 1/2 mi.					petr	/	8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock				
sw	SE						Lawn	Oil field wa	ter O	ther	
							9. Casing: Materia Stee Threaded Welded			elow .	
5			سده مید چا	particle of	, G		RAAP PVC	Weight	31.6	Zlbs./ft.	
1 Mi					1 E. 1		Dia 16 in. to 178ft. d	epth Wall Ti	nickness: in	58 or	
5. Type and color of material					From	То	Dia in. to ft. depth gage No 10. Screen: Manufacturer's name				
Clay				7.000-0	0	11	Free	Flow	16 1		
							Type Prime Stee	Dia Length .	40 f		
Rock					11	15	Set between 138	ft. and _	178	ft.	
Clay					15	18	Gravel pack? YAS . Size	and range of mat	erial 3/4	ft.	
Rock H					18	23	11. Static water level:		то	./day/yr.	
Clay					23	30	129 ft. below land s	ınd surfaces:			
4.		2 1224.11		-			153 ft. after 4 154 ft. after 4	. hrs. pumpii	[∞] 700 710		
Sd rock					30	36	Estimated maximum yield _	hri pumpi 71)	_ g.p.m. g.p.m.	
Sd coars	6				36	42	13. Water sample submitted	:	mo.	./day/yr.	
Sdy clay	•				42	87	Yes X No	Date			
	477						Well head completion: Pitless adapter	12 In	ches above	grade	
Sd coars	<u>e</u>				87	105	Well grouted? 400		-		
Fine sd clay					105	111	With: Neat cement Per Depth: From ft. t	Bentoni		Concrete	
Sd rock					111	113	16. Negrest source of possift. 2920 Direction			+10	
Slay					113	117	ft. 1920 Direction Well disinfected upon comp			No	
								tern L			
Sd rock	W45				117	120	Manufacturer's name ** C S' Model number	tern L			
Fine sd clay				120	137	Length of drop pipe 170	ft. сар	ocity 71	.p.m.		
Sd rock				137	143	Type: Submersible	:	X Turbine	. 1		
							Jet	_	Recipro		
Sd coars					143	175	Centrifugal	· -	Other		
18. Elevation:	19. Remarks: Sd roc				175 176	176 180	20. Water well contractor! This well was drilled under			report	
Tonography	Shale	, JAAOR			180	100	is true to the best of my kno	wledge and	belief.		
Topography:Hill							Weishaar Dri	lling		232 ense No.	
Slope	:					ĺ		ty Ks	67871		
Valley						ď	Signature Authorized re	apresentative	23-98	76	
						T		- Joniui Ve	7-20-	للك	