4 1 1 0 0 1 5 1 0				R WELL RECORD	Form WWC-5	KSA 82a	1212	
	N OF WAT		Fraction			tion Number	Township Number	Range Number
County:	Gree		SE 1/4		SW 1/4	24	т 16 s	R 39 E/W
			•	address of well if local and 1/4 mile	•	rihune		
2 WATER			le E. McAl		#000 OI I	LIDANE		
RR#, St. A				Tabeer			Board of Agricultu	re, Division of Water Resources
City, State,	•	· · · · · ·	Bend, KS	67530			Application Numb	
					80	4 FLEVA		
AN "X" II	N SECTION							ft. 3
		' 						n. 3
1	i	i						s pumping gpm
	- NW	NE						s pumping gpm i
<u>'</u>	! !							s pumping
		E		TO BE USED AS:	5 Public water			
-	- i		1 Domestic				•	11 Injection well 12 Other (Specify below)
	- SW	SE	2 Irrigation					12 Other (Specify Delow)
	العا	- 1	•		•	•	<u>-</u>	yes, mo/day/yr sample was sub-
1 <u> </u>			mitted	odotoriological samp	io submitted to b		er Well Disinfected? Yes	
5 TYPE O	F BLANK C	ASING USED:		5 Wrought iron	8 Concre			Blued Clamped
1 Stee		3 RMP (SF	3)	6 Asbestos-Ceme		(specify below		Velded
2 PVC	2	4 ABS	,	7 Fiberglass		· •	•	'hreadedX
	_		.in. to 8Ω	•				in. to ft.
								e No
		R PERFORATION		, .	7 PV		10 Asbestos-c	
1 Stee	el	3 Stainless	steel	5 Fiberglass		IP (SR)		cify)
2 Bras	SS	4 Galvaniz	ed steel	6 Concrete tile	9 AB		12 None used	
SCREEN O	R PERFOR	ATION OPENIN	GS ARE:	5 Ga	auzed wrapped	_		11 None (open hole)
1 Con	ntinuous slot	3 M	ill slot	6 Wi	re wrapped		9 Drilled holes	•
2 Lou	vered shutte	er 4 Ke	ey punched		rch cut		10 Other (specify)	NK
SCREEN-P	ERFORATE	D INTERVALS:	From	. 20 ft. to	, 	ft., Fror	n	ft. toft.
			From	ft. to	.	ft., Fror	n	ft. toft.
GI	RAVEL PAC	CK INTERVALS:			80	ft., Fror	n	ft. to
				20 ft. to	80	ft., Fror	n	ft. to ft. ft. to ft. ft. to ft.
	MATERIAL	: 1 Neat o	From From cement	20 ft. to	3 Bento	ft., Fror ft., Fror	n n Other	ft. to
	MATERIAL	: 1 Neat o	From From cement	20 ft. to	3 Bento	ft., Fror ft., Fror	n n Other	ft. to
6 GROUT Grout Interv	MATERIAL:	: 1 Neat o	From From cement ft. to 20	20 ft. to	3 Bento	ft., Fror ft., Fror	n	ft. to
GROUT Grout Interv	MATERIAL:	1 Neat o	From From cement ft. to 20 contamination:	20 ft. to	3 Bento	ft., From tt., F	n	ft. to
6 GROUT Grout Interv What is the 1 Sep	MATERIAL vals: From	: 1 Neat on	From From cement ft. to 20 contamination: al lines	20 ft. to ft. to 2 Cement grout ft., From	3 Bento	tt., Fror ft., Fror inite 4 to	n	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew	MATERIAL vals: From nearest so otic tank ver lines	: 1 Neat of n0	From From cement ft. to 20 contamination: al lines pool	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Bento	tt., Fror tt., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento	tt., Fror tt., F	Other	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat	MATERIAL: vals: From nearest so- ptic tank ver lines tertight sewe	1 Neat on	From From cement ft. to 20 contamination: al lines pool	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento	nite 4 to	other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento	nite 4 to	other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction from	MATERIAL vals: From nearest so otic tank ver lines tertight sew	1 Neat on	From From cement ft. to 20 contamination: al lines pool age pit	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 9 Feedyard	3 Bento ft.	tt., Fror ft., F	Other	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro	MATERIAL vals: From nearest so ptic tank ver lines tertight sew om well? TO	to 1 Neat of no	From Perment ft. to 20 contamination: al lines pool age pit LITHOLOGIC	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard LOG	3 Bento	tt., Fror ft., F	n	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	MATERIAL vals: From nearest so ptic tank ver lines tertight sewe om well? TO	to 1 Neat of no	From Perment It to 20 contamination: al lines pool age pit LITHOLOGIC	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard LOG	3 Bento ft. Second 1 FROM 0 20	tt., Fror ft., F	n	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 7 CONTRA completed of	MATERIAL vals: From nearest so- ptic tank wer lines tertight sewe- om well? TO ACTOR'S Con (mo/day/	n	From Perment It to 20 contamination: al lines pool age pit LITHOLOGIC R'S CERTIFICAT 7-93.	20 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage 9 Feedyard LOG	3 Bento ft. Second of the s	tt., Fror ft., F	n	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	MATERIAL vals: From nearest so tic tank ver lines tertight sew om well? TO ACTOR'S Con (mo/day/y Contractor's	trice of possible 4 Later 5 Cess er lines 6 Seep	From Perment ft. to 20 contamination: al lines pool age pit LITHOLOGIC R'S CERTIFICAT 793	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage is 9 Feedyard LOG TION: This water wel	3 Bento 3 Bento 1 FROM 0 20 Il was (1) constru	tt., Fror tt., F	nother	ft. to
6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 7 CONTRA completed of Water Well under the b	MATERIAL vals: From nearest so to tic tank ver lines tertight sew om well? TO ACTOR'S Con (mo/day/ Contractor's pusiness nar	true of possible 4 Later 5 Cess er lines 6 Seep	From Perment It to 20 contamination: al lines pool age pit LITHOLOGIC A'S CERTIFICAT 7-93 473 v1er Water	20 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage 9 Feedyard LOG TON: This water well Well Service	3 Bento ft. 3 Bento ft. Iagoon J Construction was (1) construction was (1) construction was (1) construction.	tt., Fror ft., F	Other	ft. to