WATER WELL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	o	
1 LOCATION OF WATER WELL:	Fraction		1	on Number	Township No.	Range Number	
County: Greeley	NW 1/4 SW 1/4 NW			22	T 16 S	R 39 □E <b>▽</b> W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here .				Latitude: .38,65071 (in decimal degrees)			
328 County Road 23			Long	Longitude: 4281277 (in decimal degrees)			
Tribune, KS 67879				Elevation: 3543			
2 WATER WELL OWNER: Gilbert Bishop			Collec	Collection Method:			
RR#, Street Address, Box #: 328 County Road 23				☐ GPS unit (Make/Model: Garmin GPS 5			
City, State, ZIP Code : Tribune, KS 67879			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
<u>Est. Accuracy</u> : <b>∠</b> <3 m, <u></u> 3-5 m, <u></u> 5-15 m, <u></u> >15 m							
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF							
	1						
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 172						
	Pump test data: Well water was 180 ft. after 1 hours pumping 25 gpm						
	EST. YIELD. 25gpm. Well water wasft. after hours pumping						
w         E   Bore Hole Diam							
1 1 ' 1 ' 1 1	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE							
Was a chemical/bacteriological sample submitted to Department?							
S If yes, mo/day/yr sample was submitted							
mile  Water well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: M Glued Clamped Welded Threaded							
Casing diameter .5. in. to .202. ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface. 24 in., Weight 2.81 lbs./ft., Wall thickness or gauge No268							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From						to ft.	
GRAVEL PACK INTERVALS:							
From							
Grout Intervals: From 5							
What is the nearest source of possible contamination:							
✓ Septic tank							
☑ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  ☐ Direction from well							
FROM TO LITHOLOG	HC L OC	FROM	TO			JGGING INTERVALS	
	ile Lod	188	193	yellow sha		Odino intervals	
0 10 clay 10 30 limestone, big rocks ha	ard to clean	193	202	blue shale			
30 60 sandstone	ira to cicari	100					
60 75 sandy clay							
75 93 sandy clay with strips of sand							
93 138 chalk rock with sand/clay strips							
138 145 limestone							
145 168 sand	The state of the s						
168 175 sandy clay							
175 188 sand with sandy clay strips							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .07/31/13 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 213. This Water Well Record was completed an (mo/day/year) 08/08/13 under the business name of Kemp's Well Service by (signature)							
INSTRUCTIONS: Use typewriter or hall point no	PLEASE PRESS FIRMI	and PRINT	Dy (	signature)	s and check the correct	answers Send one conv to	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WAT	Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						