WATER WELL RE	CORD	<u>Form</u>	WWC-5	Division of Wate	er Resources App. N	lo. L	
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number	
County: Saline		1/4 SW 1/4	SE 1/4 SW 1/4	3	T 16 S	R4 □E 🛣 W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or	owner's address, cl	Latitude:38. 68309 (in decimal degrees)					
1 mile North & 1	/2 mile East	of Falun, KS		Longitude:-9.7.7.	Longitude: 97.75327 (in decimal degrees)		
,				Elevation:	Elevation:		
2 WATER WELL OWNER: Garrett Cloyd				→ Datum:  → WGS 8	<u>Datum</u> : ☐ WGS 84, <b>☆</b> NAD 83, ☐ NAD 27		
				Collection Method:			
					)		
City, State, ZIP Cod	Falur	n, KS 67442				ic Map, Land Survey	
3 LOCATE WELL				Est. Accuracy:	>3 m, □ 3-3 m, □	] 5-15 m, □ >15 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED W	ELL 35	ft.			
SECTION BOX:							
N	WELL'S STATIC WATER LEVEL29ft. below land surface measured on mo/day/yr1.1/20/12						
	Pump test data: Well water wasft. after hours pumping						
LECT VIELD E 7 anna Wall and an anna A - A - A - A - A - A - A - A - A - A							
NW   NE	eter9in. to35ft., andin. toft.						
"   -   -   -   -		TO BE USED AS: Public water supply Geothermal Injection well					
	☐ Domestic	☐ Feedlot	☐ Oil field wa	ter supply	ewatering $\square$	Other (Specify below)	
SW SE	☐ Irrigation	☐ Industrial	<b>₹</b> X Domestic-la	wn & garden $\square$ Me	onitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected? X Yes \ \ \ \ No							
5 TVDE OF CACING LICED.							
5 TYPE OF CASING USED: Steel Y PVC Other Other							
CASING JOINTS:  Glued  Clamped  Welded  Threaded							
Casing diameter5							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel YPVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot   Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
Fromft., Fromft. toft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout 🔀 Bentonite ☐ Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank							
Sewer lines							
Direction from well .						• • • • • • • • • • • • • • • • • • • •	
FROM TO	LITHOLOG		FROM			JGGING INTERVALS	
0 2 Tops		10 200	1 ROW	TO EITHO. E	00 (cont.) <u>or</u> 1 Ec	OGING INTERVALS	
	, silty						
	y gravel						
	k gravel	· · · · · · · · · · · · · · · · · · ·					
	e, graver						
28 40 Shal	e, gray						
7 CONTRACTORS O	D I ANDOWNER	AC CEDTIFICAT	NON. This	11 5774	-4-1 🖂		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year)11/20/12 and this record is true to the best of my/knowledge and belief.							
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year)							
under the business name of							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Se	end one copy to WAT					constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							